

Acti9 - fuse-disconnector STI - 1 pole + N - 25 A - for fuse 10.3 x 38 mm

A9N15646

Main

Range	Acti9	
product name	Acti9 STI	
Product or component type	Fuse-disconnector	
Device short name	STI	
Poles description	1P + N	

Complementary

[In] rated current	2 A	
	4 A	
	6 A	
	10 A	
	16 A	
	20 A	
	25 A	
Fuse curve	AM	
	GG	
Fuse size	10.3 x 38 mm	
[Ue] rated operational voltage	500 V AC	
[Ui] rated insulation voltage	500 V AC 50/60 Hz	
Mounting mode	Clip-on	
Mounting support	DIN rail	
9 mm pitches	2	
Height	81 mm	
Width	18 mm	
Depth	75 mm	
Colour	White	
Connections - terminals	Screw clamp terminals1 cable(s) 0.7510 mm² rigid	
	Screw clamp terminals1 cable(s) 0.56 mm² flexible	
	Screw clamp terminals2 cable(s) 0.754 mm² rigid	
	Screw clamp terminals2 cable(s) 0.56 mm² flexible	
Wire stripping length	12 mm	
Tightening torque	2 N.m	

Environment

Standards	IEC 60269-1/2 IEC EN 60947-3
IP degree of protection	IP20

Pollution degree	3
Ambient air temperature for operation	-2060 °C
Ambient air temperature for storage	-4080 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.700 cm
Package 1 Width	7.600 cm
Package 1 Length	8.000 cm
Package 1 Weight	72.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	12
Package 2 Height	8.500 cm
Package 2 Width	9.400 cm
Package 2 Length	22.300 cm
Package 2 Weight	918.000 g
Unit Type of Package 3	S03
Number of Units in Package 3	144
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	11.661 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability

Environmental footprint	Ĺ
-------------------------	---

Environmental Disclosure Product Environmental Profile

Use Better

EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Take-back	No