
# Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# **II CLIPSAL**



# Grid plate with cover frame, Clipsal Solis T Series, for switch, horizontal, 4 gangs, brushed brass

1044TUA-BB

# Main

Range	Clipsal Solis T Series	
Product brand	Clipsal	
Product or component type	Grid plate	
Provided equipment	Cover frame	
Colour tint	Brushed brass	

# Complementary

fixing mode	By screws
Material	Aluminium
Surface finish	Aluminium
surface treatment	Metallic
fixing center	120 mm
thickness	4.5 mm
Width	148 mm
Height	74 mm
Depth	22.6 mm
Embedding depth	41 mm
Number of gangs	4 gangs
Product destination	Switch
Targeted country	Australia New Zealand
Type of frame	Quadruple
Main colour tint	Brushed brass

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.5 cm
Package 1 Width	6 cm
Package 1 Length	8 cm
Package 1 Weight	45 g
Unit Type of Package 2	CAR

Number of Units in Package 2	40
Package 2 Height	34 cm
Package 2 Width	36 cm
Package 2 Length	48 cm
Package 2 Weight	1.884 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

### Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint	
Total lifecycle Carbon footprint	1
Environmental Disclosure	Product Environmental Profile

### **Use Better**

<b>⊗</b> Materials and Substances	
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration
Halogen-free status	Product contains halogen above thresholds
PVC free	Yes

### **Use Again**

○ Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No

Image of product / Alternate images

**Alternative** 



