II CLIPSAL



Grid plate with cover frame, Clipsal Solis T Series, for switch, horizontal, 1 gang, brushed brass

1041TUA-BB

Main

Range	Clipsal Solis T Series	
Product brand	Clipsal	
Product or component type	Grid plate	
Provided equipment	Cover frame	
Colour tint	Brushed brass	

Complementary

fixing mode	By screws	
Material	Aluminium	
Surface finish	Aluminium	
surface treatment	Metallic	
fixing center	84 mm	
thickness	4.5 mm	
Width	148 mm	
Height	74 mm	
Depth	22.6 mm	
Embedding depth	41 mm	
Number of gangs	1 gang	
Product destination	Switch	
Targeted country	Australia New Zealand	
Type of frame	Single	
Main colour tint	Brushed brass	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.5 cm
Package 1 Width	6 cm
Package 1 Length	8 cm
Package 1 Weight	50 g
Unit Type of Package 2	CAR

Number of Units in Package 2	40
Package 2 Height	34 cm
Package 2 Width	36 cm
Package 2 Length	48 cm
Package 2 Weight	2.084 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint	
Total lifecycle Carbon footprint	2
Environmental Disclosure	Product Environmental Profile

Use Better

EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration
Halogen-free status	Product contains halogen above thresholds
PVC free	Yes


Use Again

○ Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No


1041TUA-BB

Image of product / Alternate images

Alternative














1041TUA-BB

