# Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# **II CLIPSAL**



# Double switched socket outlet, Clipsal Solis T Series, horizontal, 10A, brushed brass

1025-BB

# Main

Range	Clipsal Solis T Series	
Product or component type	Switched socket	
Product brand	Clipsal	
Assembly Type	Complete product	
Colour tint	Brushed brass	
Protection	Shuttered	
Main colour tint	Brushed brass	

# Complementary

· · · · · · · · · · · · · · · · · ·		
Control type	Rocker	
Number Of Outlets	2	
Socket-outlet type	Double socket-outlet	
Mounting Type	Screw	
Installation Type	Flush	
Installation Orientation	Horizontal	
Material	Aluminium	
Surface finish	Metallic	
[Ue] rated operational voltage	230/240 V AC	
Network frequency	50 Hz	
[In] rated current	10 A	
Connections - terminals	4 x 2.5 mm² screw terminals 3 x 4 mm² screw terminals	
Embedding depth	23.5 mm	
Depth	27.4 mm	
Height	74 mm	
Width	148 mm	
Mounting Centers	84 mm	
Cut-out dimensions	93 x 50 mm	
surface treatment	Anodised	
Screwdriver shape	Philips No 2 Square drive no 1 (SQ1)	
Wire stripping length	16 mm	

Number of power socket outlets	2 x 2P + E, Australian/New Zealand	
Cover Thickness	3.9 mm	
Number Of Switches	2	

# **Environment**

Product certifications	RCM
Standards	AS/NZS 3112
Relative humidity	1095 %
Ambient air temperature for operation	045 °C

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.5 cm
Package 1 Width	6 cm
Package 1 Length	8 cm
Package 1 Weight	176 g
Unit Type of Package 2	CAR
Number of Units in Package 2	40
Package 2 Height	32.5 cm
Package 2 Width	25 cm
Package 2 Length	41 cm
Package 2 Weight	7.42 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

### Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint	
Total lifecycle Carbon footprint	2
Environmental Disclosure	Product Environmental Profile

## **Use Better**

EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration
Halogen-free status	Product contains halogen above thresholds
PVC free	Yes

## **Use Again**

○ Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No

# **Product datasheet**

1025-BB

Image of product / Alternate images

**Alternative** 













