


Product datasheet

Specifications



Universal fixing brackets, Canalis KS 100A to 400A, wall or suspended on threaded rod

KSB400ZF1

Main

Range of product	Canalis
Product name	KS
Product or component type	Fixing bracket
Product compatibility	KS
Fixing device mounting	Suspended on threaded rod Wall mounting
Maximum load	70 kg
Quantity per set	Set of 10

Complementary

Accessory / separate part category	Fixing accessory
[Ie] rated operational current	400.0 A
Width	30 mm
Depth	92 mm
Height	183 mm
Product weight	300 g

Environment

Standards	IEC 60439-2 IEC 61439-6
-----------	----------------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	17.500 cm
Package 1 Width	16.300 cm
Package 1 Length	19.000 cm
Package 1 Weight	216.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	18.600 cm
Package 2 Width	17.500 cm
Package 2 Length	19.000 cm

Package 2 Weight	2.250 kg
Unit Type of Package 3	P06
Number of Units in Package 3	450
Package 3 Height	65.000 cm
Package 3 Width	60.000 cm
Package 3 Length	80.000 cm
Package 3 Weight	113.250 kg

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

Halogen-free status

Halogen free product

PVC free

Yes

Silicone-free

Yes

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture


End of life manual availability

No need of specific recycling operations

Take-back

No

WEEE Label

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Technical Illustration

Assembly's dimensions

