









2023/2024

FAN CATALOGUE

AC or DC Fans / Advantages		3
Choosing the right Fan		4
AC FANS	Supplier	5
Tempest LED.	Brilliant	6
Tempest standard	Brilliant	7
Tempo Plus	Brilliant	8
Vector II	Brilliant	9
Caloundra	Clipsal	10
Performance Sweep	Clipsal	11-12
Bondi	Eglo	13
Flair	Fantech	14
Juliet	Fantech	15
Quinton	Fantech	16
Scud	Fantech	17
430 Stainless Steel	НРМ	18
Aluminium	НРМ	19
Inspire	НРМ	20
Serene AC	НРМ	21
Airventure	Mercator	22
Caprice	Mercator	23
Clare	Mercator	24
Harmony II	VentAir	25
Spinika II	VentAir	26
Spyda	VentAir	27
Stanza	VentAir	28
Ceduna	Atom Air	29
Coolum	Atom Air	30
DC FANS	Supplier	31
Amari	Brilliant	32
Bahama	Brilliant	33
Bahama Smart	Brilliant	34
Mascot	Brilliant	35
Preston	Brilliant	36
Tempest ABS	Brilliant	37
Zen	Clipsal	38
Cabarita	Eglo	39
liuka Hugger	Eglo	40
Noosa	Eglo	41
Seacliff	Eglo	42
Stradbroke	Eglo	43
Curf	Eglo	11

TorquayEglo	45
Tourbillion Eglo	46
Serene DC	47
Aqua IP66 V2 Hunter Pacific	48
Evolve Hunter Pacific	49
MagnumHunter Pacific	50
Albatross	51
Albatross Mini	52
Avoca	53
Elite	54
ViperMartec	55
RaptorMercator	56
Casa Mercator	57
Century Mercator	58
Eagle II Lite Mercator	59
Guardian Mercator	60
Instinct	61
Minota Mercator	62
NemoiMercator	63
Nemoi LiteMercator	64
DC 3VentAir	65
Skyfan 3VentAir	66
Skyfan 4VentAir	67
Anglesea	68
BronteAtom Air	69
Erskine	70
Mooloolah Atom Air	71
Mooloolah Mini Atom Air	72
SanurAtom Air	73
VeniceAtom Air	74
EC CEILING FANS Supplier	75
Spyda ECVentAir	76
WALL FANS Supplier	77
Airbond Mercator	78
Arena Mercator	79
Broome Mercator	80
Ivan	81
Rider Mercator	82
Wall DCVentAir	83
CODES & FEATURES	
Product Codes	84-



























AC or DC Fans?

AC stands for Alternating Current, whilst a DC fan has a transformer to manage the electrical flow to convert the AC into DC (Direct Current) to power the motor.

AC fans commonly have a lower upfront cost but often have less features. DC fans commonly have a higher upfront cost but offer significantly lower running costs. They are also not as susceptible to buzzing or humming noises caused by network ripple.

The good news is both AC and DC fans are extremely energy efficient compared to other way's of cooling your home. When fans can be used in conjunction with AC systems, they can provide a cooler home while not having to set the thermostat as low saving you money on your power bill. The market predominantly used to AC fans but there has been a big shift to DC fans due to all of their advantages over AC fans and becoming cheaper as they are more widely adopted. This catalogue showcases an abundance of models.

AC Ceiling Fan Advantages:

- Majority come with a 3 speed wall control (hard-wired) or an optional remote control.
- Normally a more affordable option than a DC fan
- Able to wire multiple ceiling fans to one 3 speed wall controller (ideal for large installs in a single area)

DC Ceiling Fan Advantages:

- · Majority come with a remote control or can be connected to a wall controller in many models.
- Quieter running than AC fans
- · Larger range of designs to choose from
- In most cases have 5-7 speeds which offers greater airflow control in both summer and winter directions (normally clockwise in Summer and anti-clockwise in Winter)
- Forward / Reverse direction can be changed via the remote control handpiece (AC ceiling fans generally have a manual switch located on the fan)
- DC motors weigh less which can make them less bulky than conventional fan motors, resulting in a lighter, slimmer product that is easier to install.






























Choosing the right fan for you

Location

The most important consideration in choosing a ceiling fan is where you want the fan to be installed - Bedroom, Dining room, Lounge, Alfresco, etc. This may determine both the type and size of fan you select.

SMALL MEDIUM SPACES

7 - 20m²



EXTRA LARGE SPACES

21 - 34m²




Light

Fans fitted with lights are generally more suitable in smaller spaces as the main source of overhead light where as larger spaces usually have alternative primary light sources, so lights are generally not used on fans in these spaces.


SMALL SPACES

With Light



LARGE SPACES

Without Light



Fan Size

To choose the right fan size, measure the floor area of the room where the ceiling fan will be installed and look up the suggested fan size from the guidelines below. Consider installing more than one fan for larger air movement coverage.

SMALL SPACES

Room Size: 7 - 13m²

Room Type: Bedroom, Study

Blade Size: 900 - 1000mm



MEDIUM SPACES

Room Size: 13 - 20m²

Room Type: Bedroom, Study, Living room

Blade Size: 1000 - 1120mm




LARGE SPACES

Room Size: 20 - 27m²

Room Type: Bedroom, Study, Living room

Blade Size: 1120 - 1370mm



X-LARGE SPACES

Room Size: 27 - 34m²


Room Type: Bedroom, Living room


Blade Size: 1370 - 1520mm



Style

The design of fan you choose is an individual decision however; Timber blades are quieter and may be better suited to quieter rooms, ie. bedrooms. Metal & ABS fans generally move more air and are more durable and suited to high traffic areas.



























Tempest LED Range











The fan to suit every home. A reliable, contemporary styled ceiling fan with four quiet plywood, timber blades combined with a powerful 50W motor. Diecast aluminium body and canopy construction, with 4 painted plywood blades. 3 speed wall control with switch included. Reversible All-Seasons technology for use all year round. 85% pre-assembled out of the box for fast installation. Powerful 50W AC motor. 18W dimmable & colour temperature adjustable light kit. Easily change colour temperature from warm white 3000K, cool white 4200K to bright daylight 6000K.



4 PLYWOOD **BLADES**



6 YEARS WARRANTY



MOTOR



WITH LIGHT



NO REMOTE CONTROL



WALL **CONTROL**

SPECIFICATIONS		
BLADE LENGTH	1320MM / 52 INCH	
MOTOR WATTAGE	50W	
MAX AIR FLOW	10,450 M³/HR	
SPEED (RPM)	73 - 188 RPM	
AIRFLOW EFFICIENCY (Higher number the better)	209 m³/hr per watt	
LIGHT	18W LED Tri Colour 1600lm array	































A reliable, contemporary styled ceiling fan with four quiet plywood blades combined with a powerful 50W motor. Diecast aluminium body and canopy construction, with 4 painted plywood blades. 3 speed wall control with switch included. Reversible All-Seasons technology for use all year round. It comes 85% pre-assembled out of the box for fast installation and has a Powerful 50W AC motor.







6 YEARS WARRANTY



MOTOR



WITH & WITHOUT LIGHT



NO REMOTE



WITH WALL

SPECIFICATIONS		
BLADE LENGTH	1320MM / 52 INCH	
MOTOR WATTAGE	50W	
MAX AIR FLOW	10,450 M³/HR	
SPEED (RPM)	73 – 188 RPM	
AIRFLOW EFFICIENCY (Higher number the better)	209 m³/hr per watt	
LIGHT	2 x B22 Globes (Globes not included)	
























Tempo Plus Range













WHITE WITHOUT LIGHT

6 YEARS WARRANTY



AC Motor



BLACK WITHOUT LIGHT

WITH AND WITHOUT LIGHT



REMOTE CONTROL



BRUSHED CHROME W/OUT LIGHT

WITH WALL CONTROL

Order Codes **P85**

WHITE WITH LIGHT

SPECIFICATIONS		
BLADE LENGTH	1220MM / 48 INCH	1320MM / 52 INCH
MOTOR WATTAGE	65W	65W
AIR FLOW	7,699 m³/hr	8,084 m³/hr
SPEED (RPM)	100 - 202 RPM	96 – 196 RPM
AIRFLOW EFFICIENCY (Higher number the better)	118 m³/hr Per Watt	124m³/hr Per Watt
LIGHT	2 x E27 Globes (Globes not included)	































The all ABS, EZI-FIT Vector Fan now comes with added features such as CCT LED light, increased airflow for even better performance, and polyfoam-free packaging for easier disposal. Vector fans are made from rust and UV resistant ABS plastic giving you endless options of where you can place them around your home. A simple modern design will compliment any space whilst giving you a great airflow. Corrosion resistance with a modern design. Definitely the tradie's choice for ceiling fans!







6 YEARS WARRANTY



AC Motor



WITH AND WITHOUT LIGHT



WITH WALL **CONTROL**



WITHOUT REMOTE CONTROL

SPECIFICATIONS			
BLADE LENGTH	1220MM / 48 INCH	1320MM / 52 INCH	1420MM / 56 INCH
MOTOR WATTAGE	50W	50W	55W
AIR FLOW	11,500 m³/hr	12,500 m³/hr	13,650 m³/hr
SPEED (RPM)	114 - 240 RPM	111 - 230 RPM	185 Max RPM
AIRFLOW EFFICIENCY (Higher number the better)	230 m³/hr Per Watt	250 m³/hr Per Watt	248 m³/hr Per Watt
LIGHT 18W LED Tri Colour 1400LM array			

























Caloundra Range











Clipsal's Caloundra range of sweep fans offers a stylish new design to suit modern interiors. With a unique curved blade design and matte finish, Caloundra fans will blend in seamlessly to your home while also offering a superior airflow level to outperform most designer fans. The range is just as comfortable outdoors as in, and is not afraid of coastal or high humidity areas due to its all-plastic design protecting against rust and corrosion.







3 YEARS WARRANTY



MOTOR



WITH OR WITHOUT LIGHT



WITH WALL CONTROL



WITHOUT REMOTE CONTROL

SPECIFICATIONS	
BLADE LENGTH 1300MM / 51 INCH	
MOTOR WATTAGE	75W
MAX AIR FLOW	13,000 M ³ /HR
SPEED (RPM)	102 - 210 RPM
AIRFLOW EFFICIENCY (Higher number the better)	173 m³/hr per watt
LIGHT	LED 4000K 1500lm





















Performance Sweep 3 Blade Range







Clipsal's Performance range has been Australia's most loved and trusted sweep fan range for over 20 years. Coming in multiple finishes and sizes to suit almost any situation, this range boasts some of the highest airflow levels in the market and will meet your requirements even in the warmest environments. With unmatched longevity, Clipsal's Performance range will not let you down.







3 YEARS WARRANTY



AC MOTOR



LIGHT **ADAPTABLE**



WITH WALL CONTROL



WITHOUT REMOTE CONTROL

SPECIFICATIONS	Aluminium	Aluminium	Stainless Steel	Stainless Steel
BLADE LENGTH	900MM / 36 INCH	1200MM / 47 INCH	1200MM / 47 INCH	1400MM / 55 INCH
MOTOR WATTAGE	60W	60W	60W	66W
AIR FLOW	8,340 m ³ /hr	10,200 m³/hr	10,200 m ³ /hr	11,400 m³/hr
SPEED (RPM)	165 - 380 RPM	120 - 280 RPM	125 - 290	125 - 290
AIRFLOW EFFICIENCY (Higher number the better)	139 m³/hr Per Watt	170 m ³ /hr Per Watt	170 m ³ /hr Per Watt	172 m³/hr Per Watt
LIGHT	Light Adaptable			























Performance Sweep 4 Blade Range









Clipsal's Performance range has been Australia's most loved and trusted sweep fan range for over 20 years. Coming in multiple finishes and sizes to suit almost any situation, this range boasts some of the highest airflow levels in the market and will meet your requirements even in the warmest environments. With unmatched longevity, Clipsal's Performance range will not let you down.







3 YEARS WARRANTY



AC Motor



LIGHT Adaptable



WITH WALL CONTROL



WITHOUT REMOTE CONTROL

SPECIFICATIONS	Aluminium	Aluminium	Stainless Steel	Stainless Steel
BLADE LENGTH	1200MM / 47 INCH	1400MM / 51 INCH	1200MM / 47 INCH	1400MM / 55 INCH
MOTOR WATTAGE	66W	66W	60W	66W
AIR FLOW	10,200 m³/hr	11,400 m³/hr	10,200 m³/hr	11,400 m³/hr
SPEED (RPM)	115 - 270 RPM	115 - 265 RPM	120 - 280	115 - 265
AIRFLOW EFFICIENCY (Higher number the better)	154 m³/hr Per Watt	172 m ³ /hr Per Watt	170 m ³ /hr Per Watt	172 m³/hr Per Watt
LIGHT	GHT Light Adaptable			





























The all-rounder - our BONDI Ceiling Fan range will blend seamlessly with just about all areas of your home. Featuring powerful airflow and all ABS construction, you are assured a lifetime of trouble-free cooling.







6 YEARS WARRANTY



AC Motor



WITH OR WITHOUT LIGHT



OPTIONAL (SOLD SEP.)



WITH WALL CONTROL

SPECIFICATIONS		
BLADE LENGTH	1220MM / 48 INCH	1320MM / 52 INCH
MOTOR WATTAGE	56W	60W
AIR FLOW	13,390 m³/hr	14,259 m³/hr
SPEED (RPM)	90 - 235 RPM	75 - 235 RPM
AIRFLOW EFFICIENCY (Higher number the better)	225 m³/hr Per Watt	234 m³/hr Per Watt
LIGHT	20W LED TRI Colour 2100LM Dimmable	

































The Flair 3 blade ceiling fans feature a contemporary design to suit most modern apartments and homes. They include an innovative blade design that maximises air flow and provides excellent air circulation and cooling effect. The Flair range is engineered for fast and efficient installation, and fitted with a reliabe high quality AC motor.







6 YEARS WARRANTY



AC MOTOR



WITH OR WITHOUT LIGHT



REMOTE **AVAILABLE SEPARATELY**



WITH WALL CONTROL

Order Codes P87-88

SPECIFICATIONS			
BLADE LENGTH	900MM / 36 INCH	1270MM / 50 INCH	1470MM / 58 INCH
MOTOR WATTAGE	75W	75W	85W
AIR FLOW	12,630 m³/hr	11,700 m³/hr	12,480 m³/hr
SPEED (RPM)	120 - 95 RPM	120 - 235 RPM	110 - 240 RPM
AIRFLOW EFFICIENCY (Higher number the better)	168 m³/hr Per Watt	156 m³/hr Per Watt	147 m³/hr Per Watt
LIGHT	18W LED Tri Colour 1330lm		

























The Juliet 4 blade ceiling fan is certified with an IP55 dust and water protection rating which makes it ideal for pergolas and outdoor entertainment areas. It is pre-balanced for smoother, low noise operation and provides excellent cooling effect together with outstanding air circulation. The Juliet features a durable diecast aluminium motor housing and UV resistant ABS blades for a long working life.







6 YEARS WARRANTY



AC MOTOR



WITHOUT LIGHT



REMOTE **AVAILABLE SEPARATELY**



WITH WALL CONTROL

SPECIFICATIONS	
BLADE LENGTH 1320MM / 52 INCH	
MOTOR WATTAGE	100W
MAX AIR FLOW	13,720 M³/HR
SPEED (RPM)	95 - 260 RPM
AIRFLOW EFFICIENCY (Higher number the better)	137 m³/hr per watt
LIGHT	N/A




































WHITE WITHOUT LIGHT

6 YEARS WARRANTY



AC MOTOR



WHITE WITH LIGHT

WITH OR WITHOUT LIGHT



REMOTE **AVAILABLE SEPARATELY**



WITH WALL CONTROL

SPECIFICATIONS		
BLADE LENGTH	1220MM / 48 INCH	1320MM / 52 INCH
MOTOR WATTAGE	75W	75W
AIR FLOW	10,560 m³/hr	13,120 m³/hr
SPEED (RPM)	125 - 240 RPM	110 - 230 RPM
AIRFLOW EFFICIENCY (Higher number the better)	141 m³/hr Per Watt	174 m³/hr Per Watt
LIGHT	18W LED Tri Colour 1450lm	18W LED Tri Colour 1450lm
































WHITE WITHOUT LIGHT

3 YEARS WARRANTY



AC MOTOR



WITH OR WITHOUT LIGHT



REMOTE **AVAILABLE** SEPARATELY



BLACK WITHOUT LIGHT

WITH WALL CONTROL

	VELNIMIEE	
SPECIFICATIONS		
BLADE LENGTH	1220MM / 48 INCH	
MOTOR WATTAGE	45W	
MAX AIR FLOW	10,560 M³/HR	
SPEED (RPM)	120 - 240 RPM	
AIRFLOW EFFICIENCY (Higher number the better)	254 m³/hr per watt	
LIGHT	1 x B22 Globes(Max 15W)	























430 Stainless Steel Range







Whether you're in the tropics, the outback or the suburbs, it's time to say hello to a stylish, stainless steel fan that will keep you comfortable all year round. Manufactured with 430 stainless steel blades, and engineered with a powerful 60W motor and heavy-duty sealed bearings, to provide maximum airflow performance. Featuring fast-connect wiring and quick-install blades for a quick installation.







3 YEARS WARRANTY



MOTOR



WITHOUT LIGHT



WALL **CONTROL**



WITHOUT REMOTE CONTROL

SPECIFICATIONS			
BLADE LENGTH	920MM / 36 INCH	1220MM / 48 INCH	1420MM / 56 INCH
MOTOR WATTAGE	60W	60W	60W
AIR FLOW	7,800 m ³ /hr	10,500 m³/hr	11,040 m³/hr
SPEED (RPM)	160 - 350 RPM	100 - 270 RPM	100 - 260 RPM
AIRFLOW EFFICIENCY (Higher number the better)	130 m³/hr Per Watt	175 m³/hr Per Watt	184 m³/hr Per Watt
LIGHT		N/A	



























It's time to say goodbye to bulky fans and transform your space with our Aluminium ceiling fan range. Designed with aluminium blades to provide a sleek, unobtrusive design that blends seamlessly into any space. Engineered with a powerful 60W motor to provide maximum airflow performance to any indoor space. Experience a reduced installation time fast-connect wiring quick-install and blades. Also, fully light adaptable with HPM Oyster & Clipper light kits.







3 YEARS WARRANTY



MOTOR



WITHOUT LIGHT



WALL CONTROL



WITHOUT REMOTE **CONTROL**

SPECIFICATIONS			
BLADE LENGTH	920MM / 36 INCH	1220MM / 48 INCH	1420MM / 56 INCH
MOTOR WATTAGE	60W	60W	60W
AIR FLOW	3 Blade 7,800 m ³ /hr	3 Blade 10,500 m ³ /hr 4 Blade 9,900 m ³ /hr	3 Blade 10,800 m³/hr 4 Blade 11,040 m³/hr
SPEED (RPM)	3 Blade 350 RPM	3 Blade 270 RPM 4 Blade 250 RPM	3 Blade 260 RPM 4 Blade 235 RPM
AIRFLOW EFFICIENCY (Higher = better)	135 m³/hr Per Watt	3 Blade 175 m³/hr Per Watt 4 Blade 165 m³/hr Per Watt	3 Blade 180 m³/hr Per Watt 4 Blade 184 m³/hr Per Watt

























Inspire Range











Immerse yourself in quiet serenity with HPM's INSPIRE ceiling fans, designed to provide high airflow, without the noise. Simply, turn it on, forget it and enjoy an incomparable natural smooth breeze. With its hang sure mounting suitable for all ceiling types and a sleek, robust plywood blade design, INSPIRE adds a touch of modernity to any bedroom, living room or outdoor undercover area.







3 YEARS WARRANTY



AC Motor



WITH or WITHOUT LIGHT



WALL CONTROL



WITHOUT REMOTE CONTROL

SPECIFICATIONS		
BLADE LENGTH	1220MM / 48 INCH	
MOTOR WATTAGE	50W	
MAX AIR FLOW	7,680 M³/HR	
SPEED (RPM)	100 - 225 RPM	
AIRFLOW EFFICIENCY (Higher number the better)	153 m³/hr per watt	
LIGHT	15W LED Tri Colour 900lm	

























Immerse yourself in super airflow performance with our Serene AC ceiling fans. Designed with rustplastic to increase fan durability and provide comfort all year round. free, coastal rated ABS Add a touch of illumination to any space with the Serene AC ceiling fan with dimmable tri-colour LED light. Including a long-lasting LED light, with colour temperature selector to switch between, warm white, cool white and natural white lighting. Reduce installation time with the ranges quick-fit blade solution.







6 YEARS WARRANTY



MOTOR



WITH or WITHOUT LIGHT



WALL CONTROL



WITHOUT REMOTE CONTROL

SPECIFICATIONS			
BLADE LENGTH	1220mm / 48"	1320MM / 52 INCH	
MOTOR WATTAGE	75W	75W	
AIR FLOW	9,480 m³/hr	10,500 m³/hr	
SPEED (RPM)	110 - 230 RPM	105 - 230 RPM	
AIRFLOW EFFICIENCY (Higher number the better)	135 m³/hr Per Watt	140 m³/hr Per Watt	
LIGHT	16W LED Tri Colour 1400LM Dimmable		





































Mercator's Airventure is engineered with high performance ABS blades for wider and high velocity air circulation. With a dimmable tri-colour Led light, a 3-speed wall controller with light switch is also included for convenient control.



3 ABS BLADES



3 YEAR WARRANTY



AC MOTOR



WITH AND WITHOUT LIGHT



WALL CONTROL



WITHOUT REMOTE CONTROL

SPECIFICATIONS	
BLADE LENGTH	1330MM / 52 INCH
MOTOR WATTAGE	10-54W
MAX AIR FLOW	10,429 M ³ /HR
SPEED (RPM)	69 - 162 RPM
AIRFLOW EFFICIENCY (Higher number the better)	194 m³/hr per watt
LIGHT	20W LED TRI Colour 1550lm Dimmable Panel






























Caprice is the bread and butter for Australians, serving years as a staple part in ceiling fans. Available in three colours (white, black and brushed steel), the Caprice will fit any household setting you desire. Whilst this fan includes a wall controller, Caprice is also remote control compatible (sold separately) for even more control.







3 YEAR WARRANTY



AC MOTOR



WITH AND WITHOUT LIGHT



WALL CONTROL



REMOTE **AVAILABLE SEPARATELY**

SPECIFICATIONS	
BLADE LENGTH	1321MM / 52 INCH
MOTOR WATTAGE	11-52W
MAX AIR FLOW	8,000 M ³ /HR
SPEED (RPM)	72 – 170 RPM
AIRFLOW EFFICIENCY (Higher number the better)	154 m³/hr per watt
LIGHT	2 x 10W LED Globe






























With electrician friendly quick connect wiring and fittings, Mercator's Clare is an AC ceiling fan that comes with a wall controller and is remote controller adaptable (sold separately). 135cm in diameter, Clare delivers high air circulation for your home.







WHITE WITHOUT LIGHT

3 YEAR WARRANTY



AC Motor



WITH AND WITHOUT LIGHT



REMOTE AVAILABLE SEPARATELY



BLACK WITHOUT LIGHT

WALL CONTROL

SPECIFICATIONS	
BLADE LENGTH	1350MM / 54 INCH
MOTOR WATTAGE	89W
MAX AIR FLOW	11,340 M³/HR
SPEED (RPM)	73 - 232 RPM
AIRFLOW EFFICIENCY (Higher number the better)	128 m³/hr per watt
LIGHT	2 x 15W B22 Globes





























WHITE WITHOUT LIGHT

6 YEARS WARRANTY



AC MOTOR



WHITE WITH LIGHT

WITH OR WITHOUT LIGHT



WITHOUT REMOTE CONTROL



BLACK WITHOUT LIGHT

WITH WALL CONTROL

Order Codes P90

BLACK WITH LIGHT

SPECIFICATIONS (C4HS1300L-WE)	
BLADE LENGTH	1220MM / 50 INCH
MOTOR WATTAGE	75W
MAX AIR FLOW	10,560 M³/HR
SPEED (RPM)	125 – 239 RPM
AIRFLOW EFFICIENCY (Higher number the better)	140 m³/hr per watt
LIGHT	20W LED 5000K 1500lm Panel



































The Spinika II is a powerful ceiling fan with a maximum motor power of 60W and 4 Glass Fibre Composite (GFC) blades for increased strength and durability. The Spinika II features high quality Japanese bearings to create a smooth running, long life fan that is guaranteed to give years of trouble free operation. The Spinika II ceiling fan comes with a 3 speed wall control. It has reversible airflow for cooling down in summer and keeping warm during winter.







6 YEARS WARRANTY



MOTOR



WITH OR WITHOUT LIGHT



WITHOUT REMOTE **CONTROL**



WITH WALL CONTROL

Order Codes

SPECIFICATIONS			
BLADE LENGTH	1220mm / 48 INCH	1300MM / 52 INCH	
MOTOR WATTAGE	68W	68W	
AIR FLOW	12,480 m³/hr	15,000 m³/hr	
SPEED (RPM)	100 - 220 RPM	100 - 220 RPM	
AIRFLOW EFFICIENCY (Higher number the better)	184 m³/hr Per Watt	220 m³/hr Per Watt	
LIGHT	20W TRI Colour LED 2050lm Dimmable Panel		































The Spyda offers the very best in ceiling fan design and colour options. The durable corrosion proof components and UV protection allows for the Spyda to be safely used in both indoor/covered outdoor and commercial applications. Installation friendly with quick connect wiring and quick fix assembly. The low noise output makes the Spyda an ideal fan for bedrooms. Spyda is backed by a six year warranty.













3 GFC **BLADES**

6 YEARS WARRANTY

AC MOTOR

WITH OR WITHOUT LIGHT

WITHOUT REMOTE CONTROL

WITH WALL **CONTROL**

SPECIFICATIONS				
BLADE LENGTH	900MM / 36 INCH	1250MM / 50 INCH	1400MM / 56 INCH	1570MM / 62 INCH
MOTOR WATTAGE	60W	55W	68W	100W
AIR FLOW	7,400 m ³ /hr	12,600 m³/hr	13,320 m³/hr	15,300 m³/hr
SPEED (RPM)	150 - 280 RPM	107 - 230 RPM	100 - 220RPM	90 - 200 RPM
AIRFLOW EFFICIENCY (Higher number the better)	123 m³/hr Per Watt	229 m³/hr Per Watt	196 m³/hr Per Watt	153 m³/hr Per Watt
LIGHT	20W TRI Colour LED 2050lm Dimmable Panel			




































WHITE WITHOUT LIGHT

4 YEARS WARRANTY



MOTOR



WITH OR WITHOUT LIGHT



WALL CONTROL INCLUDED



WITHOUT **REMOTE** CONTROL

SPECIFICATIONS			
BLADE LENGTH	900MM / 36 INCH	1220MM / 50 INCH	1400MM / 56 INCH
MOTOR WATTAGE	45W	55W	68W
AIR FLOW	7,200 m³/hr	11,700 m³/hr	13,210 m ³ /hr
SPEED (RPM)	160 - 260 RPM	105 - 190 RPM	95 – 190 RPM
AIRFLOW EFFICIENCY (Higher number the better)	160 m³/hr Per Watt	213 m³/hr Per Watt	196 m³/hr Per Watt
LIGHT	2x B22 Globes (Max 30W)		



























The traditionally-styled 3-blade Ceduna ceiling sweep fan is a modern take on a traditional icon. This 48" (1220mm) AC motor model is available with or without a fitted slimline LED light kit and comes supplied with a 3-speed wall controller. The fan is prebalanced for ease of installation, with three precision moulded ABS blades to give excellent air circulation and cooling effect. As with all Atom Air fans, this model is fitted with our quick-connect wiring solution for ease of installation and is backed by our 6 year warranty.







6 YEARS WARRANTY



MOTOR



WITH & WITHOUT LIGHT



WALL CONTROL



WITHOUT **REMOTE** CONTROL

SPECIFICATIONS	
BLADE LENGTH	1220MM / 48 INCH
MOTOR WATTAGE	45W
AIR FLOW	9,300 M³/HR
SPEED (RPM)	110 - 245 RPM
AIRFLOW EFFICIENCY (Higher number the better)	206 m³/hr per watt
LIGHT	16W LED Tri Colour 1400lm array

































The Coolum 4-blade ceiling fan is a traditional 3-speed AC fan available with or without a 20W tri-colour LED light. Coolum ceiling fans are manufactured to an efficient design including a powerful 75W AC motor and 3-speed wall controller. This fan has an integral ABS body and strengthened ABS blades for maximum airflow making it suitable for both indoor and covered outdoor applications. As with all Atom Air fans, this model is fitted with our quick connect wiring solution for ease of installation and backed by our 6 year warranty.







6 YEARS WARRANTY



MOTOR



WITH & WITHOUT LIGHT



WALL CONTROL **INCLUDED**



WITHOUT **REMOTE** CONTROL

SPECIFICATIONS		
BLADE LENGTH	1220MM / 48 INCH	1320MM / 52 INCH
MOTOR WATTAGE	75W	75W
AIR FLOW	13,800 m³/hr	16,200 m³/hr
SPEED (RPM)	130 - 270 RPM	120 - 257 RPM
AIRFLOW EFFICIENCY (Higher number the better)	184 m³/hr Per Watt	216 m³/hr Per Watt
LIGHT	20W LED Tri Colour 1600LM array	20W LED Tri Colour 1600LM array























An aerodynamically designed ceilings fans are suitable for coastal locations with its body, canopy and blades made from durable and anti-rust ABS plastic. Utilises a powerful and efficient DC motor in combination with curved ABS blades for superior airflow. Durable corrosion and UV resistant body and canopy construction with high strength moulded ABS blades. Light models are also available with 24W Tri colour Dimmable LED arrary.







WHITE WITHOUT LIGHT

6 YEARS WARRANTY



 ${\tt DC}$ MOTOR



WHITE WITH LIGHT

WITH & WITHOUT LIGHT



6 SPEED **REMOTE**

Order Codes P84

BLACK WITH LIGHT

SPECIFICATIONS		
BLADE LENGTH	1320MM / 52 INCH	1420MM / 56 INCH
MOTOR WATTAGE	35W	35W
AIR FLOW	14,800 m³/hr	17,300 m³/hr
SPEED (RPM)	130 - 250 RPM	113 - 225 RPM
AIRFLOW EFFICIENCY (Higher number the better)	442 m³/hr Per Watt	494 m³/hr Per Watt
LIGHT	24W Tri Colour LED 1800 lumens LED array Dimmable	



BLACK WITHOUT LIGHT




















Bahama is a stylish and energy efficient ceiling fan for contemporary designed homes. Featuring 3 sleek, curved blades, available in 4 colour options. Bahama is suitable for those looking for unique, rustic, or timber ceiling fans in modern, sustainable, homes. Durable metal body and canopy construction, with 3 high strength moulded timber look ABS blades. Includes 5 speed remote control with reverse function. Reversible All-Seasons technology for use all year round. 85% pre-assembled out of the box for fast installation. Energy Efficient 32W DC motor. Quiet and smooth operation. The Bahama fan has an optimal blade pitch of 14 degrees providing quality and comfortable air movement.



BLADES









MOTOR



WHITE / WHITE WASHED TIMBER

WITHOUT LIGHT



5 SPEED REMOTE

Order Codes P84

CHARCOAL WITH MAPLE TIMBER

SPECIFICATIONS		
BLADE LENGTH	1320MM / 52 INCH	
MOTOR WATTAGE	32W	
MAX AIR FLOW	9,328 M³/HR	
SPEED (RPM)	87 – 195 RPM	
AIRFLOW EFFICIENCY (Higher number the better)	291 m³/hr per watt	
LIGHT	N/A	
























Bahama Smart Range















The Smart Bahama fan with tuneable CCT light allows you to control the settings from anywhere, via your phone, app or voice control. Durable metal body and canopy construction, with 3 moulded ABS blades. 5 speed remote control with reverse function and timer. Light: 18W 1000lm LED non-dimmable. Adjust colour temperature to either 3000K Warm White, 4200K Cool White or 6000K Daylight. Control your fan speed, light, and on/off by App. Smart mode: nature, normal, sleep and wake up (app only).







6 YEARS WARRANTY



MOTOR



WITH LIGHT



REMOTE CONTROL

Wireless battery operated wall control included. Smart functions include smart mode, scheduling, timers, automation, voice control and many others via the BrilliantSmart App



SPECIFICATIONS		
BLADE LENGTH	1320MM / 52 INCH	
MOTOR WATTAGE	32W	
MAX AIR FLOW	9,328 M³/HR	
SPEED (RPM)	87 - 195 RPM	
AIRFLOW EFFICIENCY (Higher number the better)	291 m ³ /hr per watt	
LIGHT	18W LED Tri Colour 1000LM array	































6 YEARS WARRANTY



DC MOTOR



WITHOUT LIGHT (KIT SOLD SEPARATELY)



6 SPEED **REMOTE**

Order Codes P84

LIGHT KIT - BLACK

SPECIFICATIONS		
BLADE LENGTH	1320MM / 52 INCH	1470MM / 58 INCH
MOTOR WATTAGE	30W	30W
AIR FLOW	11,500 m³/hr	13,200 m³/hr
SPEED (RPM)	93 - 162 RPM	102 - 178 RPM
AIRFLOW EFFICIENCY (Higher number the better)	383 m³/hr Per Watt	440 m³/hr Per Watt
LIGHT	22W LED Tri Colour 1600LM array (SOLD SEPARATELY)	





































A low-profile design, with clean, modern look makes the Preston an ideal ceiling fan for homes & apartments with lower ceiling heights. Featuring a powerful DC motor paired with an aerodynamic blade design, this hugger style fan can provide comfortable and effective airflow all year round. High strength, corrosion proof and easy clean ABS blades. The Windbreeze mode varies the fan speed to simulate a natural breeze effect. 6 speed remote control with timer included. Reversible All-Seasons technology for use all year round. Powerful 30W DC motor. Models available with 20W dimmable & tri-colour temperature adjustable light kit.







6 YEARS WARRANTY



DC **MOTOR**



WITH & WITHOUT LIGHT



6 SPEED **REMOTE**

SPECIFICATIONS	
BLADE LENGTH	1220MM / 48 INCH
MOTOR WATTAGE	30W
MAX AIR FLOW	10,100 M³/HR
SPEED (RPM)	100 - 200 RPM
AIRFLOW EFFICIENCY (Higher number the better)	336 m³/hr per watt
LIGHT	20W Tri Colour LED 1400lm dimmable LED array































The popular Tempest ceiling fan now comes with all-ABS construction and an energy efficient DC motor with 6 speed control. Designed to suit electricians with it's easy blade assembly, pre-assembled motor body & large top canopy. The perfect all-rounder for your home! With 6 speed remote control plus 6 speed wall controller included (hard-wired, no batteries required). 100% recycleable polyfoam free packaging. 27W LED Tri Colour light kit sold separately.







6 YEARS WARRANTY



DC MOTOR



WITHOUT LIGHT (KIT SOLD SEPARATELY)



6 SPEED **REMOTE**



WITH WALL CONTROL





Order Codes P85

SPECIFICATIONS	
BLADE LENGTH	1320MM / 52 INCH
MOTOR WATTAGE	30W
MAX AIR FLOW	12,800 M³/HR
SPEED (RPM)	75 – 220 RPM
AIRFLOW EFFICIENCY (Higher number the better)	426 m³/hr per watt
LIGHT	27W Tri Colour LED 1400LM array (SOLD SEPARATELY)





























The Clipsal Saturn Zen Ceiling Sweep Fan combines style and function to complement any modern or architectural interior. With four blades for quiet operation, the Zen Ceiling Sweep fan is fitted with a low-energy DC motor that uses 40% less energy than traditional AC motor fans.







3 YEARS WARRANTY



DC Motor



WITHOUT LIGHT



REMOTE CONTROL

SPECIFICATIONS			
BLADE LENGTH	1400MM / 55 INCH		
MOTOR WATTAGE	15W		
MAX AIR FLOW	12,600 M³/HR		
SPEED (RPM)	102/150/210 RPM		
AIRFLOW EFFICIENCY (Higher number the better)	840 m³/hr per watt		
LIGHT	N/A		





























The seamless construction of the CABARITA ceiling fan makes it a beautiful statement piece for your home, all the while also offering energy efficient cooling with its super quiet DC motor.







6 YEARS WARRANTY



DC Motor



WITHOUT LIGHT



REMOTE CONTROL

SPECIFICATIONS	
BLADE LENGTH	1270MM / 50 INCH
MOTOR WATTAGE	35W
MAX AIR FLOW	10,080 M³/HR
SPEED (RPM)	78 - 174 RPM
AIRFLOW EFFICIENCY (Higher number the better)	264 m³/hr per watt
LIGHT	N/A
























Iluka Hugger Range







BLACK WITHOUT LIGHT







WHITE WITHOUT LIGHT

6 YEARS WARRANTY



DC Motor



WHITE WITH LIGHT

WITH & WITHOUT LIGHT



REMOTE CONTROL

Order Codes

SPECIFICATIONS			
BLADE LENGTH	1320MM / 52 INCH	1520MM / 60 INCH	
MOTOR WATTAGE	40W	45W	
AIR FLOW	12,640 m³/hr	16,089 m³/hr	
SPEED (RPM)	70 - 230 RPM	62 - 195 RPM	
AIRFLOW EFFICIENCY (Higher number the better)	316 m³/hr Per Watt	358 m³/hr Per Watt	
LIGHT	20W LED TRI Colour 2300LM Dimmable		













RUSTIC TIMBER & BLACK

















Best seller - the NOOSA ceiling fan range combines the best of all worlds - low profile design, strong air movement and functions galore - you won't be disappointed. Smart Receiver sold separately. Also includes Noosa Timber.













3 ABS **BLADES**

6 YEARS WARRANTY

DC Motor

WITH & WITHOUT LIGHT

REMOTE CONTROL

SPECIFICATIONS				FO
BLADE LENGTH	1016MM / 40 INCH	1168MM / 46 INCH	1320MM / 52 INCH	1520MM / 60 INCH
MOTOR WATTAGE	22W	22W	24W	38W
AIR FLOW	15,650 m³/hr	14,620 m³/hr	13,280 m³/hr	14,364 m ³ /hr
SPEED (RPM)	60 - 250 RPM	62 - 200 RPM	60 - 190 RPM	60 - 178 RPM
AIRFLOW EFFICIENCY (Higher number the better)	783 m³/hr Per Watt	731 m ³ /hr Per Watt	517 m ³ /hr Per Watt	384 m³/hr Per Watt
LIGHT		18W LED TRI Colour L	ED 2000LM Dimmable	



































The SEACLIFF ceiling fan has a low-profile design, making it a perfect ceiling fan for homes & apartments with low ceilings. Featuring a powerful DC motor and UV resistant ABS blades, this is a modern and sleek ceiling fan that will provide comfort all year round.







6 YEARS WARRANTY



DC Motor



WITH & WITHOUT LIGHT



REMOTE CONTROL

SPECIFICATIONS		
BLADE LENGTH	1120MM / 44 INCH	1320MM / 52 INCH
MOTOR WATTAGE	16W	28W
AIR FLOW	9,270 m³/hr	11,895 m³/hr
SPEED (RPM)	70 - 250 RPM	70 - 235 RPM
AIRFLOW EFFICIENCY (Higher number the better)	579 m ³ /hr Per Watt	424 m³/hr Per Watt
LIGHT	15W LED TRI Colou	r 1750LM Dimmable





























The STRADBROKE ceiling fan is nothing short of stylish and functional. Featuring a low-profile design, strong air movement, summer, and winter modes, and 6 different speeds, the STRADBROKE is a great choice for all rooms in your home.







6 YEARS WARRANTY



DC MOTOR



WITH & WITHOUT LIGHT



REMOTE **CONTROL**

Order Codes P86-87

SPECIFICATIONS		
BLADE LENGTH	1220MM / 48 INCH	1320MM / 52 INCH
MOTOR WATTAGE	28W	28W
AIR FLOW	10,510 m³/hr	10,8205 m³/hr
SPEED (RPM)	65 - 250 RPM	65 - 220 RPM
AIRFLOW EFFICIENCY (Higher number the better)	467 m³/hr Per Watt	421 m³/hr Per Watt
LIGHT	20W TRI Colour LED 2300 Lumen Dimmable	



































The all-new SURF ceiling fan is built to be waves above the rest - featuring powerful airflow, non-rust ABS blades & housing, and a 6-speed remote control (including night mode). This DC ceiling fan is the perfect all-rounder! * DC WALL CONTROL OPTIONAL (Sold Sep.)







6 YEARS WARRANTY



DC MOTOR



WITH & WITHOUT LIGHT



REMOTE CONTROL

SPECIFICATIONS			
BLADE LENGTH	1220MM / 48 INCH	1320MM / 52 INCH	1520MM / 60 INCH
MOTOR WATTAGE	40W	40W	40W
AIR FLOW	13,130 m³/hr	13,743 m³/hr	14,149 m ³ /hr
SPEED (RPM)	75 - 210 RPM	75 - 205 RPM	70 - 195 RPM
AIRFLOW EFFICIENCY (Higher number the better)	278 m³/hr Per Watt	344 m³/hr Per Watt	355 m³/hr Per Watt
LIGHT	20W LED Tri Colour 1400LM Dimmable		





























Create a tropical oasis in your home with TORQUAY. Combining a sleek low profile design, high air movement and a modern look, this ceiling fan will help you keep your home comfortable year round.







6 YEARS WARRANTY



DC Motor



WITH & WITHOUT LIGHT



REMOTE **CONTROL**

SPECIFICATIONS			
BLADE LENGTH	1070MM / 42 INCH	1220MM / 48 INCH	1422MM / 56 INCH
MOTOR WATTAGE	13W	33W	35W
AIR FLOW	8,665 m ³ /hr	12,091 m³/hr	12,961 m³/hr
SPEED (RPM)	70 - 230 RPM	60 - 225 RPM	60 - 200 RPM
AIRFLOW EFFICIENCY (Higher number the better)	667 m³/hr Per Watt	402 m³/hr Per Watt	400 m ³ /hr Per Watt
LIGHT	4	20W LED TRI Colour 2300LM Dimmable)








































6 YEARS WARRANTY



DC Motor



LIGHT SOLD **SEPARATELY**



REMOTE CONTROL

Order Codes P87

SPECIFICATIONS		
BLADE LENGTH	1524MM / 60 INCH	2032MM / 80 INCH
MOTOR WATTAGE	47W	58W
AIR FLOW	16,220 m³/hr	21,270 m³/hr
SPEED (RPM)	65 - 143 RPM	65 - 95 RPM
AIRFLOW EFFICIENCY (Higher number the better)	345 m ³ /hr Per Watt	367 m³/hr Per Watt
LIGHT	18W LED TRI Colour 2150lm Step-dimmable	













TOURBILLION LIGHT KIT











Serene DC is the ideal solution for the energy conscious. Experience powerful, high airflow performance, with an energy efficient, low-power consumption motor. Designed with rust-free, coastal rated ABS plastic to increase fan durability. Experience whisper-quiet summer/winter operation, with 6-speed settings for ultimate breezy comfort. Reduce installation time with the ranges quick-fit blade solution.







6 YEARS WARRANTY



 ${\tt DC}$ MOTOR



WITHOUT LIGHT



REMOTE CONTROL

SPECIFICATIONS		
BLADE LENGTH	1220mm / 48 INCH	1320MM / 52 INCH
MOTOR WATTAGE	40W	40W
AIR FLOW	11,400 m³/hr	12,6000 m³/hr
SPEED (RPM)	110 - 260 RPM	94 – 230 RPM
AIRFLOW EFFICIENCY (Higher number the better)	285 m³/hr Per Watt	315 m³/hr Per Watt
LIGHT	N	/A







































The First IP66 rated ceiling fan in the world. This fan is like no other on the market as it is completely dustproof, with full protection from dust particles and projection from high pressure water jets (projected by a nozzle 12.5mm) from any direction. With its IP66 rating this fan is suitable for use indoor, outdoor and coastal locations even in exposed outdoor areas. Available in either 52" or 70" with or without light and with its 9 speed remote control this fan is suitable for smaller bedrooms to large lounge / outdoor entertaining areas. Simply add an accessory HPF Pixie or Wi-Fi Module to make this fan the ultimate smart home solution.







7 YEARS WARRANTY



DC Motor



WITH OR WITHOUT LIGHT



REMOTE CONTROL

SPECIFICATIONS		
BLADE LENGTH	1320MM / 52 INCH	1780MM / 70 INCH
MOTOR WATTAGE	19.5W	52.7W
AIR FLOW	15,643 m³/hr	24,895 m³/hr
SPEED (RPM)	82 - 195 RPM	79 - 158 RPM
AIRFLOW EFFICIENCY (Higher number the better)	802 m ³ /hr Per Watt	472 m³/hr Per Watt
LIGHT	18W Dimmable LED Tri (Colour Max 2370 Lumens





























The newest edition to the Hunter Pacific range, the Evolve is available in a range of colours and three sizes. Covering everything from smaller sized bedrooms, right up to large entertaining areas. Suitable for both indoor and outdoor locations and is supplied with a 9 speed reversible remote control, to ensure that this fan can achieve the desired airflow to keep you comfortable all year round. Simply add an accessory light kit to this model if required. For the ultimate smart home solution add an accessory HPF Pixie or Wi-Fi Module.











3 ABS **BLADES**

7 YEARS WARRANTY

DC MOTOR

WITH OR WITHOUT LIGHT

REMOTE CONTROL

Order Codes P88-89

SPECIFICATIONS			
BLADE LENGTH	1220MM / 48 INCH	1320MM / 52 INCH	1520MM / 60 INCH
MOTOR WATTAGE	26 W	26W	38W
AIR FLOW	13,869 m³/hr	14,798 m³/hr	16,312 m ³ /hr
SPEED (RPM)	82 – 196 RPM	82 - 196 RPM	82 – 197 RPM
AIRFLOW EFFICIENCY (Higher number the better)	531 m³/hr Per Watt	564 m³/hr Per Watt	455 m³/hr Per Watt
LIGHT	18W Dimmable LED Tri Colour Light Max 2370 Lumens		




































The Magnum with its massive 80" span and high performance motor offering incredible airflow, and with its 9 speed remote control this fan is suitable for large indoor or outdoor areas alike. With the reversible motor for summer and winter, the Magnum can be put to use all year round. Simply add an accessory HPF Pixie or Wi-Fi Module to make this fan the ultimate smart home solution.







7 YEARS WARRANTY



DC MOTOR



WITHOUT LIGHT



REMOTE CONTROL

SPECIFICATIONS	
BLADE LENGTH	2030MM / 80 INCH
MOTOR WATTAGE	53W
MAX AIR FLOW	22,328 M ³ /HR
SPEED (RPM)	68 – 130 RPM
AIRFLOW EFFICIENCY (Higher number the better)	418 m³/hr per watt
LIGHT	N/A





























WHITE WITHOUT LIGHT

6 YEARS WARRANTY



DC Motor



WHITE WITH LIGHT

WITH OR WITHOUT LIGHT



REMOTE CONTROL

Order Codes P89

BRUSHED NICKEL WITHOUT LIGHT

SPECIFICATIONS		
BLADE LENGTH	1800MM / 72 INCH	2100MM / 84 INCH
MOTOR WATTAGE	35W	35W
AIR FLOW	15,600 m³/hr	16,800 m³/hr
SPEED (RPM)	80 – 156 RPM	75 – 168 RPM
AIRFLOW EFFICIENCY (Higher number the better)	445 m³/hr Per Watt	480 m³/hr Per Watt
LIGHT	24W LED TRI Colour 2560lm Dimmable	





































The Albatross Mini is quiet and efficient with a 35W DC motor. Matched with a robust design featuring a metal body with 8aluminium blades make it an ideal solution for large combined living and dining areas, alfresco and BBQ areas. The handy summer/winter mode means you can use the fan all year round to keep your room cool and warm.







6 YEARS WARRANTY



DCMOTOR



WITHOUT LIGHT



REMOTE CONTROL

SPECIFICATIONS	
BLADE LENGTH	1650MM / 65 INCH
MOTOR WATTAGE	35W
MAX AIR FLOW	14,400 M ³ /HR
SPEED (RPM)	65 – 144 RPM
AIRFLOW EFFICIENCY (Higher number the better)	411 m³/hr per watt
LIGHT	N/A






























The Avoca is smart and Wi-Fi connectivity ceiling fan with a 45W DC motor. Matched with a slimline design featuring a metal body with 3 ABS blades make it an ideal solution for any indoor and covered outdoor applications. The handy summer/winter mode means you can use the fan all year round to keep your room cool and warm. 20W LED TRI Colour LED 2500lm 5 Step Dimmable







6 YEARS WARRANTY



DCMOTOR



WITH OR WITHOUT LIGHT



REMOTE CONTROL

SPECIFICATIONS	1220MM / 48"	1320MM / 52"
BLADE LENGTH	1220mm / 48 INCH	1320MM / 52 INCH
MOTOR WATTAGE	45W	45W
AIR FLOW	10,530M³/hr	10,530 M³/hr
SPEED (RPM)	48 - 105 RPM	50 - 105 RPM
AIRFLOW EFFICIENCY (Higher number the better)	220 m ³ /hr Per Watt	233 m³/hr Per Watt
LIGHT	20W LED TRI Colour LED 2	2500lm 5 Step Dimmable








































MATT WHITE WITHOUT LIGHT

6 YEARS WARRANTY



DCMOTOR



MATT WHITE WITH LIGHT

WITH OR WITHOUT LIGHT



REMOTE CONTROL

Order Codes P89

MATT BLACK WITH LIGHT

SPECIFICATIONS (C4HS1300L-WE)	
BLADE LENGTH	1220MM / 48 INCH
MOTOR WATTAGE	36W
MAX AIR FLOW	14,400 M ³ /HR
SPEED (RPM)	46-140 RPM
AIRFLOW EFFICIENCY (Higher number the better)	325 m³/hr per watt
LIGHT	18W LED TRI Colour LED 1650lm 5 Step Dimmable



MATT BLACK WITHOUT LIGHT





























The Viper is a best-in-class ceiling fan with a 36W DC motor. Matched with a slimline design featuring a ABS body with 3 ABS blades make it an ideal solution for indoor and covered outdoor application. And the handy summer/winter mode means you can use the fan all year round to keep your room cool and warm.







6 YEARS WARRANTY



DCMOTOR



WITH OR WITHOUT LIGHT



REMOTE CONTROL

SPECIFICATIONS (C4HS1300L-WE)	
BLADE LENGTH	1320MM / 52 INCH
MOTOR WATTAGE	1320MM / 52 INCH
MAX AIR FLOW	17,640 M³/HR
SPEED (RPM)	75 – 176 RPM
AIRFLOW EFFICIENCY (Higher number the better)	411 m³/hr per watt
LIGHT	18W LED 5 Stage CCT 2120lm Dimmable





























The new Raptor ceiling fan offers innovation and high performance to meet your cooling needs. With quick and easy blade installation, along with a modern look for any room setting, look no further with Mercator's Raptor.







6 YEAR* WARRANTY



DC Motor



WITH AND WITHOUT LIGHT



REMOTE CONTROL

SPECIFICATIONS	
BLADE LENGTH	1321MM / 52 INCH
MOTOR WATTAGE	35W
MAX AIR FLOW	12,000 M³/HR
SPEED (RPM)	67-207 RPM
AIRFLOW EFFICIENCY (Higher number the better)	343 m³/hr per watt
LIGHT	20W Quad Colour LED 1200 Lumen Dimmable Panel

^{*3} year in home, 6 year motor warranty






























Looking to expand your IoT home utility? Mercator's Casa is a Smart ceiling fan that offers control via our IKUU Smart app or physical remote (supplied). Casa includes an energy efficient DC motor with 6 speed settings and breeze mode.







6 YEAR* WARRANTY



DC MOTOR



WITH AND WITHOUT LIGHT



REMOTE CONTROL

SPECIFICATIONS	
BLADE LENGTH	1320MM / 52 INCH
MOTOR WATTAGE	35W
MAX AIR FLOW	9,727 M³/HR
SPEED (RPM)	75 – 160 RPM
AIRFLOW EFFICIENCY (Higher number the better)	278 m³/hr per watt
LIGHT	18W LED Quad Colour LED 1150lm Dimmable Panel

^{*3} year in home, 6 year motor warranty



































Looking for a large ceiling fan for your project? Look no further than our top of the range 100" ceiling fan Century. Offering an extremely powerful airflow of 30,589 m3/hr, this fan will blow you away in style.







6 YEAR* WARRANTY



DC Motor



WITHOUT LIGHT



WITH REMOTE CONTROL



WALL CONTROL

SPECIFICATIONS		
BLADE LENGTH	2540MM / 100 INCH	
MOTOR WATTAGE	35W	
MAX AIR FLOW	30,589 M³/HR	
SPEED (RPM)	36 - 76 RPM	
AIRFLOW EFFICIENCY (Higher number the better)	874 m³/hr per watt	
LIGHT	N/A	

^{*3} year in home, 6 year motor warranty

































An extension to our Eagle II family, complete your home with the new Eagle II Lite. 48" in size, this ceiling fan is available in multiple colours (white, black and rubbed bronze).







6 YEAR* WARRANTY



DCMOTOR



WITH AND WITHOUT LIGHT



WITH REMOTE CONTROL

SPECIFICATIONS	
BLADE LENGTH	1220MM / 48 INCH
MOTOR WATTAGE	35W
MAX AIR FLOW	9,888 M³/HR
SPEED (RPM)	62 – 197 RPM
AIRFLOW EFFICIENCY (Higher number the better)	396 m³/hr per watt
LIGHT	18W Led Quad Colour 1200lm Dimmable Panel

^{*3} year in home, 6 year motor warranty

































Mercator's Guardian is an IP55 rated ceiling fan that can be installed for indoor and outdoor use. Includes a sleek 6-speed remote controller with control on Summer/Winter mode and timer.







6 YEAR* WARRANTY



DC Motor



WITHOUT LIGHT



WITH REMOTE CONTROL

SPECIFICATIONS		
BLADE LENGTH	1420MM / 56 INCH	
MOTOR WATTAGE	35W	
MAX AIR FLOW	10,330 M³/HR	
SPEED (RPM)	92 – 186 RPM	
AIRFLOW EFFICIENCY (Higher number the better)	296 m³/hr per watt	
LIGHT	N/A	

^{*3} year in home, 6 year motor warranty

























An extension to our Eagle II family, complete your home with the new Eagle II Lite. 48" in size, this ceiling fan is available in multiple colours (white, black and rubbed bronze).

BLACK WITHOUT LIGHT







WHITE WITHOUT LIGHT

6 YEAR* WARRANTY



DCMOTOR



WHITE WITH LIGHT

WITH AND WITHOUT LIGHT



WITH REMOTE CONTROL

Order Codes P90

BLACK WITH LIGHT

SPECIFICATIONS	
BLADE LENGTH	1370MM / 54 INCH
MOTOR WATTAGE	35W
MAX AIR FLOW	8,990 M³/HR
SPEED (RPM)	63 – 205 RPM
AIRFLOW EFFICIENCY (Higher number the better)	257 m³/hr per watt
LIGHT	18W Led Quad Colour 800lm Dimmable Panel

^{*3} year in home, 6 year motor warranty







































Minota is Mercator's answer to Smart ceiling fan functionality. Utilising Mercator's in-house IKUU system, Smart control on your fans could not get any simpler with Minota. In addition to Smart control, a sleek 6-speed remote is also included for more control.







6 YEAR* WARRANTY



DC Motor



WITH AND WITHOUT LIGHT



WITH REMOTE CONTROL

SPECIFICATIONS	
BLADE LENGTH	1320MM / 52 INCH
MOTOR WATTAGE	35W
MAX AIR FLOW	10,904 M ³ /HR
SPEED (RPM)	67 - 194 RPM
AIRFLOW EFFICIENCY (Higher number the better)	312 m³/hr per watt
LIGHT	20W Led Quad Colour 1000lm Dimmable Panel

^{*3} year in home, 6 year motor warranty




























BLACK WITHOUT LIGHT







WHITE WITHOUT LIGHT

6 YEAR* WARRANTY



DC MOTOR



WITH AND WITHOUT LIGHT



WITH REMOTE CONTROL

SPECIFICATIONS	
BLADE LENGTH	1370MM / 54 INCH
MOTOR WATTAGE	33W
MAX AIR FLOW	10,228 M³/HR
SPEED (RPM)	118 - 235 RPM
AIRFLOW EFFICIENCY (Higher number the better)	310 m³/hr per watt
LIGHT	18W Led Quad Colour 1000lm Dimmable Panel

^{*3} year in home, 6 year motor warranty








































An extension to our Nemoi family, the Nemoi Lite is a 48" model which will accommodate your cooling needs. With high performance and features, this ceiling fan offers both Summer and Winter modes that offers all year round functionality.



4 ABS BLADES



6 YEAR* WARRANTY



DC Motor



WITH AND WITHOUT LIGHT



WITH REMOTE CONTROL

SPECIFICATIONS	
BLADE LENGTH	1216MM / 48 INCH
MOTOR WATTAGE	35W
MAX AIR FLOW	9,500 M³/HR
SPEED (RPM)	78 - 228 RPM
AIRFLOW EFFICIENCY (Higher number the better)	272 m³/hr per watt
LIGHT	18W Quad Colour LED 1000 Lumen Dimmable Panel

^{*3} year in home, 6 year motor warranty



























The Ventair DC 3 Ceiling Fan is a modern fan that combines an energy efficient DC motor and a 1200mm/48" blade span. With wall and remote control options which allow the fan to reverse for summer and winter use. The fan features glass fibre composite blades providing high airflow, up to 13,580 m3/hr, making it a popular choice for indoor and covered outdoor areas.







5 YEARS WARRANTY



DC MOTOR



WITH AND WITHOUT LIGHT



REMOTE CONTROL



WITH WALL CONTROL

SPECIFICATIONS	
BLADE LENGTH	1200MM / 48 INCH
MOTOR WATTAGE	26W
MAX AIR FLOW	13,580 M³/HR
SPEED (RPM)	72 - 215 RPM
AIRFLOW EFFICIENCY (Higher number the better)	522 m³/hr per watt
LIGHT	20W TRI Colour LED 1800lm Dimmable Panel

































5 YEARS WARRANTY



DC MOTOR



WITH OR WITHOUT LIGHT



REMOTE CONTROL

SPECIFICATIONS				
BLADE LENGTH	900MM / 36 INCH	1200MM / 48 INCH	1300MM / 52 INCH	1500MM / 60 INCH
MOTOR WATTAGE	32W	32W	32W	32W
AIR FLOW	12,500 m³/hr	13,920 m³/hr	14,610 m³/hr	19,300 m³/hr
SPEED (RPM)	100 - 120 RPM	95 - 115 RPM	90 - 110 RPM	73 - 88 RPM
AIRFLOW EFFICIENCY (Higher number the better)	391 m³/hr Per Watt	435 m ³ /hr Per Watt	457 m ³ /hr Per Watt	603 m³/hr Per Watt
LIGHT	20W TRI Colour LED 1800 Lumen Dimmable Panel			





























The Skyfan 4 blade ceiling fan is a modern style fan featuring a super quiet and extremely energy efficient 35W DC motor. The fan is controllable via remote and comes with 6 speed settings, including and energy efficient Eco mode. The fan features glass fibre composite blades for added strength and durability as well as an inbuilt anti-vibration system. The Skyfan is a popular choice for any bedroom, living area or outdoor patio area.







5 YEARS WARRANTY



DC **MOTOR**



WITH OR WITH LIGHT



REMOTE CONTROL

Order Codes

SPECIFICATIONS		
BLADE LENGTH	1200mm / 48 INCH	1400MM / 56 INCH
MOTOR WATTAGE	30W	38W
AIR FLOW	14,280 m³/hr	20,100 m³/hr
SPEED (RPM)	102 - 215 RPM	83 – 205 RPM
AIRFLOW EFFICIENCY (Higher number the better)	476 m³/hr Per Watt	529 m³/hr Per Watt
LIGHT	20W LED TRI Colour 1800lm Dimmable Panel	

































The Anglesea 52" (1320mm) low-profile hugger fan is specifically designed for installations with lower than normal ceiling heights. Ideal for installation into bedrooms and living areas, this design sits closer to the ceiling than other models and features a stylish 8-speed remote control and 12-hour timer. This model is available with or without a slimline 16W dimmable Tri Colour LED light. An all-ABS construction makes this fan ideal for installation in all environments including both indoor and covered outdoor applications. As with all Atom Air fans, this model is fitted with our quick-connect wiring solution for ease of installation and is backed by our 6 year warranty.











BLADES

6 YEARS WARRANTY

DC **MOTOR**

WITH & WITHOUT LIGHT

8 SPEED **REMOTE** CONTROL

SPECIFICATIONS	
BLADE LENGTH	1320MM / 52 INCH
MOTOR WATTAGE	40W
AIR FLOW	15,600 M ³ /HR
SPEED (RPM)	130 - 250 RPM
AIRFLOW EFFICIENCY (Higher number the better)	390 m ³ /hr Per Watt
LIGHT	16W LED Tri Colour 1400LM Dimmable Array

























As a statement of style and design, the 54" (1370mm) Bronte ceiling fan is suited to almost any interior decor. The sleek all-ABS housing and blades make this model ideal for coastal living. Featuring a powerful 40W DC motor for premium air movement, a stylish 8-speed remote control and 12-hour timer alongside the option of a slimline 20W dimmable Tri Colour LED light, this fan is ideal for almost any room or covered outdoor area. As with all Atom Air fans, this model is fitted with our quick-connect wiring solution for ease of installation and is backed by our 6 year warranty.











BLADES

6 YEARS WARRANTY

DC MOTOR

WITH & WITHOUT

8 SPEED **REMOTE** CONTROL

SPECIFICATIONS	
BLADE LENGTH	1370MM / 54 INCH
MOTOR WATTAGE	40W
AIR FLOW	16,200 M³/HR
SPEED (RPM)	110 - 210 RPM
AIRFLOW EFFICIENCY (Higher number the better)	405 m³/hr Per Watt
LIGHT	20W LED Tri Colour 1500LM dimmable array





































WHITE WITHOUT LIGHT

6 YEARS WARRANTY



DC **MOTOR**



WITH & WITHOUT LIGHT

WHITE WITH LIGHT



8 SPEED REMOTE CONTROL

SPECIFICATIONS	
BLADE LENGTH	1320MM / 52 INCH
MOTOR WATTAGE	40W
MAX AIR FLOW	15,600M³/HR
SPEED (RPM)	130 - 230 RPM
AIRFLOW EFFICIENCY (Higher number the better)	390 m³/hr per watt
LIGHT	16W LED Tri Colour 1400LM dimmable array
























As the largest fan in the Atom Air range, the 84" (2130mm) Mooloolah ceiling fan is designed for providing maximum airflow to larger spaces. Fitted with 6 corrosion-resistant anodised aluminium blades, the 55W DC motor ensures excellent performance and makes this fan suitable for offices, commercial environments, larger sized living areas and enclosed alfresco spaces. The Mooloolah is supplied with the same stylish 8-speed remote control as the rest of our range and a 12-hour timer and summer/winter reversing functionality. As with all Atom Air fans, this model is fitted with our quick-connect wiring solution for ease of installation and is backed by our 6 year warranty.







6 YEARS WARRANTY



DC MOTOR



WITHOUT



8 SPEED REMOTE CONTROL

SPECIFICATIONS	
BLADE LENGTH	2130MM / 84 INCH
MOTOR WATTAGE	55W
AIR FLOW	19,500 M³/HR
SPEED (RPM)	54 – 90 RPM
AIRFLOW EFFICIENCY (Higher number the better)	354 m³/hr Per Watt
LIGHT	N/A


































Designed for superior airflow, the 65" (1650mm) Mooloolah Mini is ideally suited to larger spaces where air movement is critical. Fitted with 8 corrosion-resistant anodised aluminium blades, the 55W DC motor ensures excellent performance. The Mooloolah Mini is supplied with a stylish 8-speed remote control with a 12-hour timer and summer/winter reversing functionality. As with all Atom Air fans, this model is fitted with our quick-connect wiring solution for ease of installation and is backed by our 6 year warranty.











BLADES

6 YEARS

MOTOR

WITHOUT

8 SPEED REMOTE CONTROL

SPECIFICATIONS	
BLADE LENGTH	1650MM/65 INCH
MOTOR WATTAGE	55W
MAX AIR FLOW	18,000M³/HR
SPEED (RPM)	70 – 120 RPM
AIRFLOW EFFICIENCY (Higher number the better)	327 m³/hr per watt
LIGHT	N/A





























The Sanur 4-blade DC ceiling fan is a modern, new-technology take on the traditional. Featuring a stylish 8-speed remote control and a 12-hour timer, the Sanur is available with or without a 20W dimmable Tri Colour LED light. An energy-efficient new technology 40W DC motor enables leading airflow, coupled with the ABS body and blades, making this product highly suitable for both indoor and covered outdoor applications. As with all Atom Air fans, this model is fitted with our quick-connect wiring solution for ease of installation and is backed by our 6 year warranty (including the first 4 years in-home).











4 Blades

6 YEARS WARRANTY **MOTOR**

WITH & WITHOUT LIGHT

8 SPEED REMOTE CONTROL

LIGHT	20W LED Tri Colour 1600LM dimmable array		
AIRFLOW EFFICIENCY (Higher number the better)	325 m ³ /hr Per Watt	390m³/hr Per Watt	
SPEED (RPM)	140 - 260 RPM	130 - 240 RPM	
AIR FLOW	13,000 m³/hr	15,600 m³/hr	
MOTOR WATTAGE	40W	40W	
BLADE LENGTH	1220MM / 48 INCH	1320MM / 52 INCH	
SPECIFICATIONS			
	LIGHT GONTHOL		





































For minimalist efficiency and style, the Venice DC ceiling fan is market-leading in its versatility. Supplied as a universal 3/4 blade ceiling fan, the Venice can be easily configured at installation as either a 3 or 4 blade model as supplied standard in the box.l. Featuring a stylish 8-speed remote control with a 12-hour timer, the Venice is available with or without a slimline 20W dimmable Tri ColourLED Light. An energy-efficient new technology 40W DC motor enables leading airflow and coupled with the ABS body and blades makes this product highly suitable for both indoor and covered outdoor applications. As with all Atom Air fans, this model is fitted with our quick-connect wiring solution for ease of installation and is backed by our 6 year warranty.







6 YEARS WARRANTY



MOTOR



WITH or WITHOUT LIGHT



8 SPEED **REMOTE** CONTROL

SPECIFICATIONS		
BLADE LENGTH	1320MM / 52 INCH	
MOTOR WATTAGE	40W	
MAX AIR FLOW	14,400 M³/HR (Based on 4 blade configuration)	
SPEED (RPM)	130 - 240 RPM (3 Blade Configuration)	
AIRFLOW EFFICIENCY (Higher number the better)	360 m³/hr per watt	
LIGHT	20W LED Tri Colour 1500LM dimmable array	
































The Spyda EC is a slimline version of the iconic Spyda Fan, offering a perfect combination of style, performance and energy efficiency. The Spyda EC (electronically commutated) brush-less motor uses up to 75% less power than a comparable AC fan and is considered a 'step up' from existing DC technology. The Spyda EC motor runs at much lower temperatures than traditional motors and can operate continuously even in harsh tropical conditions.











3 TPA **BLADES**

6 YEARS WARRANTY

EC MOTOR

WITH OR WITHOUT LIGHT

REMOTE CONTROL

SPECIFICATIONS		
BLADE LENGTH	1250MM / 50 INCH	1400MM / 56 INCH
MOTOR WATTAGE	30W	38W
AIR FLOW	12,900 m³/hr	14,340 m³/hr
SPEED (RPM)	95 - 230 RPM	95 – 230 RPM
AIRFLOW EFFICIENCY (Higher number the better)	430 m³/hr Per Watt	377 m³/hr Per Watt
LIGHT	20W Led TRI Colour 1800lm Dimmable Panel	




























For high performance industrial fans, Mercator's Airbond is available in pedestal or wall forms. Airbond's DC motor conumes up to 70% less energy than AC motor, saving electricity consumption costs whilst delivering powerful airflow.









1 YEAR WARRANTY



DC Motor



WITHOUT LIGHT



REMOTE CONTROL

SPECIFICATIONS	800MM / 32"	
BLADE LENGTH	800MM / 32 INCH	
MOTOR WATTAGE	130W	
MAX AIR FLOW	15,600 M³/HR	
SPEED (RPM)	200 - 1100 RPM	
AIRFLOW EFFICIENCY (Higher number the better)	120 m³/hr per watt	
LIGHT	N/A	


























Mercator's Arena includes a long life motor with 100% copper wire, along with a sturdy heavy-duty wall mount. Offering 3 speed pull cord switch, Arena has a wide range horizontal oscillation with a vertically tiltable head.







1 YEAR WARRANTY



DC Motor



WITHOUT REMOTE CONTROL

SPECIFICATIONS		
BLADE LENGTH	565MM / 23 INCH	
MOTOR WATTAGE	70-110W	
MAX AIR FLOW	7,200 M³/HR	
SPEED (RPM)	850 - 1380 RPM	
AIRFLOW EFFICIENCY (Higher number the better)	66 m³/hr per watt	
LIGHT	N/A	






























Looking for a powerful industrial fan for hot environments? Broome is Mercator's answer for high humidity and heat areas that demand immediate cooling solutions. With 3 aluminium blades and metal grille for long-life durability, Broome will meet your cooling needs in any environment.







1 YEAR WARRANTY



DC MOTOR



WITHOUT REMOTE CONTROL

SPECIFICATIONS		
BLADE LENGTH	750MM / 30 INCH	
MOTOR WATTAGE	110W	
MAX AIR FLOW	7,200 M³/HR	
SPEED (RPM)	950 – 400 RPM	
AIRFLOW EFFICIENCY (Higher number the better)	66 m³/hr per watt	
LIGHT	N/A	























Mercator's Ivan offers wide range oscillation and adjustable fan tilt. Ivan is available with a pull cord or remote for flexible control.



3 ABS BLADES



1 YEAR WARRANTY



AC MOTOR



WITHOUT LIGHT



WITH REMOTE CONTROL

SPECIFICATIONS	
BLADE LENGTH	400MM / 16 INCH
MOTOR WATTAGE	45-48W
MAX AIR FLOW	20,880 M³/HR
SPEED (RPM)	956 - 1250 RPM
AIRFLOW EFFICIENCY (Higher number the better)	435 m³/hr per watt
LIGHT	N/A






























With wide range oscillation and adjustable fan tilt, Mercator's Rider is a simplistic design that is suitable for any home setting. A 3-speed remote control is included which offers oscillation control, sleep modes and timer.







1 YEAR WARRANTY



AC MOTOR



WITHOUT LIGHT



WITH REMOTE **CONTROL**

SPECIFICATIONS		
BLADE LENGTH	400MM / 16 INCH	
MOTOR WATTAGE	49W	
MAX AIR FLOW	19,800 M³/HR	
SPEED (RPM)	960 - 1258 RPM	
AIRFLOW EFFICIENCY (Higher number the better)	405 m³/hr per watt	
LIGHT	N/A	





























The Wall DC is available is both 450 & 750mm sizes. Both models are a heavy duty, alluminium blade wall fan, perfect for warehouses, gyms and large entertaining areas. The energy efficient brushless DC motor uses up to 70% less power than traditional AC equivalents. The Wall DC range have a tilt adjustable head and oscillating swing feature. Six speed remote control with timer option. Multiple fans can also be paired to one remote control. The Wall DC is backed by a two year warranty.







2 YEARS WARRANTY



DCMOTOR



N/A



REMOTE CONTROL

SPECIFICATIONS		
BLADE LENGTH	450MM	750MM
MOTOR WATTAGE	90W	130W
AIR FLOW	-	-
SPEED (RPM)	500 - 1400 RPM	600 - 1035 RPM
AIRFLOW EFFICIENCY (Higher number the better)	-	_
LIGHT	N	/ A



























ATOM AIR			
Order Code with Brand Code	Light		Controller Type
1320MM / 52 INCH			
ATMANGLESEA/52/WH	No		Remote
ATMANGLESEA/52/LT/WH	Yes		Remote
1370MM / 54	1370MM / 54 INCH		
ATMBRONTE/54/WH	No		Remote
ATMBRONTE/54/LT/WH	Yes		Remote
ATMBRONTE/54/BK	No		Remote
ATMBRONTE/54/LT/BK	Yes		Remote
1220MM / 48	3 INC	Н	
ATMCEDUNA/48/WH	No		Wall
ATMCEDUNA/48/LT/WH	Yes		Wall
1220MM / 48	3 INC	Н	
ATMCOOLUM/48/WH	No		Wall
ATMCOOLUM/48/BK	Yes		Wall
ATMCOOLUM/48/LT/WH	No		Wall
ATMCOOLUM/48/LT/BK	Yes		Wall
1320MM / 52	1320MM / 52 INCH		
	No		Wall
ATMCOOLUM/52/LT/WH	Yes		Wall
ATMCOOLUM/52/BK	No		Wall
ATMCOOLUM/52/LT/BK	Yes		Wall
1320MM / 52	2 INC	Н	
ATMERSKINE/52/WH	No		Remote
ATMERSKINE/52/LT/WH	Yes		Remote
2100MM / 84	4 INC	Н	
			Remote
7 O C C O C	1650MM / 65 INCH		
, ,	5 INC	Н	
, ,		H No	Remote
1650MM / 65	VH		Remote Remote
1650MM / 65 ATMMOOLOOLAH/MI/65/V	VH K	No No	
1650MM / 65 ATMMOOLOOLAH/MI/65/V ATMMOOLOOLAH/MI/65/P	VH K	No No	
1650MM / 65 ATMMOOLOOLAH/MI/65/V ATMMOOLOOLAH/MI/65/P 1220MM / 48	VH SK B INC	No No	Remote
1650MM / 65 ATMMOOLOOLAH/MI/65/P ATMMOOLOOLAH/MI/65/P 1220MM / 48 ATMSANUR/48/LT/WH	VH SK B INC	No No	Remote
1650MM / 65 ATMMOOLOOLAH/MI/65/V ATMMOOLOOLAH/MI/65/B 1220MM / 48 ATMSANUR/48/LT/WH ATMSANUR/48/LT/WH	VH BK BINC No Yes	No No	Remote Remote Remote
1650MM / 65 ATMMOOLOOLAH/MI/65/B 1220MM / 48 ATMSANUR/48/LT/WH ATMSANUR/48/LT/WH ATMSANUR/48/BK	WH BK No Yes No Yes	No No CH	Remote Remote Remote Remote
1650MM / 65/N ATMMOOLOOLAH/MI/65/N ATMMOOLOOLAH/MI/65/N 1220MM / 48 ATMSANUR/48/LT/WH ATMSANUR/48/LT/WH ATMSANUR/48/BK ATMSANUR/48/LT/BK	WH BK No Yes No Yes	No No CH	Remote Remote Remote Remote
1650MM / 65 ATMMOOLOOLAH/MI/65/V ATMMOOLOOLAH/MI/65/E 1220MM / 48 ATMSANUR/48/LT/WH ATMSANUR/48/LT/WH ATMSANUR/48/BK ATMSANUR/48/LT/BK 1320MM / 52	WH SK BINC No Yes No Yes 2 INC	No No CH	Remote Remote Remote Remote Remote
1650MM / 65 ATMMOOLOOLAH/MI/65/V ATMMOOLOOLAH/MI/65/V 1220MM / 48 ATMSANUR/48/LT/WH ATMSANUR/48/LT/WH ATMSANUR/48/BK ATMSANUR/48/LT/BK 1320MM / 52 ATMSANUR/52/WH	WH SK No Yes No Yes No Yes No	No No CH	Remote Remote Remote Remote Remote Remote
1650MM / 65 ATMMOOLOOLAH/MI/65/V ATMMOOLOOLAH/MI/65/V 1220MM / 48 ATMSANUR/48/LT/WH ATMSANUR/48/LT/WH ATMSANUR/48/LT/BK 1320MM / 52 ATMSANUR/52/LT/WH ATMSANUR/52/LT/WH	WH SK SINC No Yes No Yes No Yes	No No CH	Remote Remote Remote Remote Remote Remote Remote
1650MM / 65 ATMMOOLOOLAH/MI/65/V ATMMOOLOOLAH/MI/65/E 1220MM / 48 ATMSANUR/48/LT/WH ATMSANUR/48/LT/WH ATMSANUR/48/LT/BK 1320MM / 52 ATMSANUR/52/WH ATMSANUR/52/LT/WH ATMSANUR/52/BK	WH KK No Yes No Yes Vo Yes No Yes No Yes No Yes No Yes	No No	Remote Remote Remote Remote Remote Remote Remote Remote
1650MM / 65 ATMMOOLOOLAH/MI/65/V ATMMOOLOOLAH/MI/65/E 1220MM / 48 ATMSANUR/48/LT/WH ATMSANUR/48/LT/WH ATMSANUR/48/LT/BK 1320MM / 52 ATMSANUR/48/LT/BK ATMSANUR/52/WH ATMSANUR/52/LT/WH ATMSANUR/52/BK ATMSANUR/52/LT/BK	WH KK No Yes No Yes Vo Yes No Yes No Yes No Yes No Yes	No No	Remote Remote Remote Remote Remote Remote Remote Remote
1650MM / 65 ATMMOOLOOLAH/MI/65/V ATMMOOLOOLAH/MI/65/V 1220MM / 48 ATMSANUR/48/LT/WH ATMSANUR/48/LT/WH ATMSANUR/48/LT/BK 1320MM / 52 ATMSANUR/52/LT/WH ATMSANUR/52/LT/WH ATMSANUR/52/LT/WH ATMSANUR/52/LT/BK 1320MM / 52	WH K K No Yes No	No No	Remote
1650MM / 65 ATMMOOLOOLAH/MI/65/V ATMMOOLOOLAH/MI/65/V ATMSANUR/48/LT/WH ATMSANUR/48/LT/WH ATMSANUR/48/LT/WH ATMSANUR/48/LT/BK 1320MM / 52 ATMSANUR/52/UT/WH ATMSANUR/52/LT/WH ATMSANUR/52/LT/WH ATMSANUR/52/LT/BK 1320MM / 52 ATMSANUR/52/LT/BK	WH KK No Yes No Yes No Yes No Yes No No Yes No	No No	Remote
	Order Code with Brand Code 1320MM / 52 ATMANGLESEA/52/WH ATMANGLESEA/52/LT/WH 1370MM / 54 ATMBRONTE/54/WH ATMBRONTE/54/LT/WH ATMBRONTE/54/BK ATMBRONTE/54/LT/BK 1220MM / 48 ATMCEDUNA/48/WH ATMCEDUNA/48/WH ATMCOOLUM/48/WH ATMCOOLUM/48/BK ATMCOOLUM/48/LT/WH ATMCOOLUM/48/LT/WH ATMCOOLUM/52/WH ATMCOOLUM/52/WH ATMCOOLUM/52/LT/WH ATMCOOLUM/52/LT/WH ATMCOOLUM/52/LT/BK 1320MM / 52 ATMCOOLUM/52/LT/BK 1320MM / 52 ATMCOOLUM/52/LT/WH	Order Code with Brand Code 1320MM / 52 INC ATMANGLESEA/52/WH No ATMANGLESEA/52/LT/WH Yes 1370MM / 54 INC ATMBRONTE/54/WH No ATMBRONTE/54/LT/WH Yes ATMBRONTE/54/BK No ATMBRONTE/54/LT/BK Yes 1220MM / 48 INC ATMCEDUNA/48/WH No ATMCEDUNA/48/WH No ATMCOOLUM/48/WH No ATMCOOLUM/48/BK Yes 1320MM / 52 INC ATMCOOLUM/52/LT/WH Yes ATMCOOLUM/52/LT/WH Yes ATMCOOLUM/52/LT/WH Yes ATMCOOLUM/52/LT/WH Yes ATMCOOLUM/52/LT/WH Yes ATMCOOLUM/52/LT/WH Yes ATMCOOLUM/52/LT/BK Yes 1320MM / 52 INC ATMCOOLUM/52/LT/WH Yes ATMCOOLUM/52/LT/WH Yes ATMCOOLUM/52/LT/WH Yes ATMCOOLUM/52/LT/WH Yes ATMCOOLUM/52/LT/WH Yes ATMCOOLUM/52/LT/WH Yes ATMCOOLUM/52/LT/WH Yes	Order Code with Brand Code 1320MM / 52 INCH ATMANGLESEA/52/WH No ATMANGLESEA/52/LT/WH Yes 1370MM / 54 INCH ATMBRONTE/54/WH No ATMBRONTE/54/LT/WH Yes ATMBRONTE/54/LT/WH Yes ATMBRONTE/54/LT/BK Yes 1220MM / 48 INCH ATMCEDUNA/48/WH No ATMCEDUNA/48/WH No ATMCOOLUM/48/WH No ATMCOOLUM/48/WH No ATMCOOLUM/48/IT/WH No ATMCOOLUM/48/LT/WH No ATMCOOLUM/48/LT/WH No ATMCOOLUM/52/WH No ATMCOOLUM/52/WH No ATMCOOLUM/52/LT/WH Yes 1320MM / 52 INCH ATMCOOLUM/52/LT/WH Yes ATMCOOLUM/52/LT/WH Yes 1320MM / 52 INCH ATMCOOLUM/52/LT/WH Yes ATMCOOLUM/52/LT/WH Yes 1320MM / 52 INCH ATMCOOLUM/52/LT/WH Yes 1320MM / 52 INCH ATMCOOLUM/52/LT/WH Yes ATMCOOLUM/52/LT/WH Yes 1320MM / 52 INCH ATMCOOLUM/52/LT/WH Yes

ATOM AIR Continued				
Colour	Order Code with Brand Code	Light	Controller Type	
VENICE	1420MM /	1420MM / 58 INCH		
White	ATMVENICE/58/WH	No	Remote	
White	ATMVENICE/58/LT/WH	Yes	Remote	
BRILLIANT				
Colour	Order Code with Brand Code	Light	Controller Type	
AMARI 52 INCH - 4 BLADE				
White	BRI21719/05	No	Remote	
Black	BRI21719/06	No	Remote	
White	BRI21721/05	Yes	Remote	
Black	BRI21721/06	Yes	Remote	
AMARI 56 INCH - 5 BLADE				
White	BRI21723/05	No	Remote	
Black	BRI21723/06	No	Remote	
White	BRI21725/05	Yes	Remote	
Black	BRI21725/06	Yes	Remote	
ВАНАМА	1320MM /	52 INCH	I	
White	BRI19587/05	No	Remote	
Black	BRI19587/06	No	Remote	
White with white washed timber blade	BRI19587/37	No	Remote	
Charcoal with maple timber blades	BRI 19587/51	No	Remote	
BAHAMA SMART 1320MM / 52 INCH			I	
White	BRI20918/05	Yes	Remote	
Black	BRI20918/06	Yes	Remote	
White with white washed timber blade	BRI20918/37	Yes	Remote	
Charcoal with maple timber blades	BRI20918/51	Yes	Remote	
MASCOT	1320MM /	52 INCH	l	
White	BRI22197/05	No	Remote	
Black	BRI22197/06	No	Remote	
MASCOT	1470MM /	58 INCH		
White	BRI22199/05	No	Remote	
Black	BRI22199/06	No	Remote	
	LED LIGHT KIT			
White	BRI22199/05	Yes	_	
Black	BRI22199/06	Yes	-	
DDESTON	· · · · · · · · · · · · · · · · · · ·	o INICH		
PRESTON White	1220MM / 4 BRI22087/05	8 INCH	Remote	
White	BRI22089/05	Yes	Remote	
Black	BRI22087/06	No	Remote	
Black	BRI22089/06	Yes	Remote	
	, , , , , , , , , , , , , , , , , , , ,			




























	by Schneider Electric			
	BRILLIANT			
Colour	Order Code with Brand Code	Light	Controller Type	
TEMPEST	1320MM / 52 INCH			
White	BRI99983/05	No	Wall	
Black	BRI99983/06	No	Wall	
Br Aluminium	BRI99983/13	No	Wall	
White	BRI99988/05	Yes	Wall	
Black	BRI99988/06	Yes	Wall	
Br Aluminium	BRI99988/13	Yes	Wall	
TEMPEST ABS DC	1320MM / 5	2 INCH		
White	BRI22235/05	No	Wall + Remote	
Black	BRI22235/06	No	Wall + Remote	
TEMPEST ABS DCLIC	HT KIT - SOLD SEPERATELY			
White	BRI22237/05	Yes	_	
Black	BRI22237/06	Yes	_	
TEMPEST LED	1320MM / 5	2 INCH		
White	BRI20580/05	Yes	Wall	
Black	BRI20580/06	Yes	Wall	
Brush. Aluminium	BRI20580/13	Yes	Wall	
	,		YYGII	
TEMPO PLUS	1220MM / 4		NA / II	
White	BRI22270/05	No	Wall	
White	BRI22273/05R	Yes	Remote	
White	BRI22273/05	Yes	Wall	
Black	BRI22270/06 BRI22273/06	No	Wall	
Black	,	Yes	Wall	
Brush. Chrome	BRI22270/13	No	Wall	
Brush. Chrome	BRI22273/13	Yes	Wall	
TEMPO PLUS	1320MM / 5	2 INCH		
White	BRI22276/05	No	Wall	
White	BRI22279/05	Yes	Wall	
White	BRI22279/05R	Yes	Remote	
Black	BRI22276/06	No	Wall	
Black	BRI22279/06	Yes	Wall	
Brush. Chrome	BRI22276/13	No	Wall	
Brush. Chrome	BRI22279/13	Yes	Wall	
LED LIGI	LED LIGHT KIT FOR TEMPO PLUS RANGES			
	HT KIT FOR TEMPO PLUS	RANGE	,	
White	BRI22242/05	Yes	_	
White Black				
Black	BRI22242/05 BRI22242/06	Yes Yes		
	BRI22242/05 BRI22242/06	Yes Yes	-	
Black VECTOR II	BRI22242/05 BRI22242/06 1220MM / 4 BRI21546/05	Yes Yes 8 INCH	- - Wall	
Black VECTOR II White	BRI22242/05 BRI22242/06	Yes Yes 8 INCH	-	

BRILLIANT				
Colour	Order Code with Brand Code	Light	Controller Type	
VECTOR II	/ECTOR II 1320MM / 52 INCH			
White	BRI21548/05	No	Wall	
Black	BRI21548/06	No	Wall	
White	BRI22293/05	Yes	Wall	
Black	BRI22293/06	Yes	Wall	
VECTOR II	1400MM / 5	6 INCH		
White	BRI22563/05	No	Wall	
Black	BRI22563/06	No	Wall	
White	BRI22565/05	Yes	Wall	
Black	BRI22656/06	Yes	Wall	

CLIPSAL			
Colour	Order Code with Brand Code	Light	Controller Type
CALOUNDRA	1300MM	/ 51 INCH	
White Electric	CLIC4HS1300-WE	No	Wall
White Electric	CLIC4HS1300L-WE	Yes	Wall
Anthracite	CLIC4HS1300-AN	No	Wall
PERFORMANCE	SWEEP FAN 9	00MM / 36	INCH
White Electric	CLI3HS900AL-WE	Adaptable	Wall
White Electric	CLI3JH900AL-WE	Adaptable	Wall
PERFORMANCE	SWEEP FAN 12	200MM / 47	INCH
White Electric	CLI3HS1200AL-WE	Adaptable	Wall
White Electric	CLI3JH1200AL-WE	Adaptable	Wall
White Electric	CLI4HS1200AL-WE	Adaptable	Wall
White Electric	CLI4JH1200AL-WE	Adaptable	Wall
White Electric	CLI4HS1200ALR-WE	Adaptable	Remote
Stainless Steel	CLI3HS1200SS-SS	Adaptable	Wall
Stainless Steel	CLI3HS1200SSR-SS	Adaptable	Remote
Stainless Steel	CLI4HS1200SS-SS	Adaptable	Wall
Stainless Steel	CLI4HS1200SSR-SS	Adaptable	Remote
Stainless Steel	CLI3JH1200SS-SS	Adaptable	Wall
PERFORMANCE SWEEP FAN 1400MM / 55 INCH			





























	EGLO		
Colour	Order Code with Brand Code	Light	Controller Type
BONDI	1200MM / 48 INCH		
White	ELG203619	No	Wall
White	ELG203622	Yes	Wall
Black	ELG203621	No	Wall
Black	ELG203623	Yes	Wall
Titanium	ELG204739	No	Wall
Titanium	ELG204741	Yes	Wall
BONDI	1320M	M / 52 IN	СН
White	ELG203624	No	Wall
White	ELG203626	Yes	Wall
Black	ELG203625	No	Wall
Black	ELG203627	Yes	Wall
Titanium	ELG204742	No	Wall
Titanium	ELG204743	Yes	Wall
CABARITA	1270M	M / 50 INC	СН
White	ELG204351	No	Remote
Black	ELG204352	No	Remote
Bamboo/ White	ELG204353	No	Remote
Koa/ Black	ELG204354	No	Remote
ILUKA HUGGER	1520M	M / 60 IN	СН
White	ELG20538401	No	Remote
White	ELG20538501	Yes	Remote
Black	ELG20538402	No	Remote
Black	ELG20538502	Yes	Remote
Black / Rustic Timber	ELG20538415	No	Remote
Black / Rustic Timber	ELG20538515	Yes	Remote
ILUKA HUGGER	1520M	M / 60 IN	СН
White	ELG20538401	No	Remote
White	ELG20538501	Yes	Remote
Black	ELG20538402	No	Remote
Black	ELG20538502	Yes	Remote
Black / Rustic Timber	ELG20538415	No	Remote
Black / Rustic Timber	ELG20538515	Yes	Remote
NOOSA	1016M	M / 40 IN	СН
White	ELG204781	No	Remote
White	ELG204787	Yes	Remote
Black	ELG204782	No	Remote
Black	ELG204788	Yes	Remote
NOOSA	1168M	M / 46 IN	СН
White	ELG204794	No	Remote
White	ELG204801	Yes	Remote
Black	ELG204795	No	Remote

my light my style			
	EGLO Continued		
Colour	Order Code with Brand Code	Light	Controller Type
NOOSA	1320MM /	52 INCH	
White	ELG203371	No	Remote
White	ELG202971	Yes	Remote
Black	ELG203369	No	Remote
Black	ELG202969	Yes	Remote
Bamboo/ White	ELG204112	No	Remote
Bamboo/ White	ELG204115	Yes	Remote
Teak/ Black	ELG204113	No	Remote
Teak/ Black	ELG204116	Yes	Remote
Aged Elm/ Black	ELG204114	No	Remote
Aged Elm/ Black	ELG204117	Yes	Remote
NOOSA	1520MM / 6	60 INCH	
White	ELG203373	No	Remote
White	ELG202973	Yes	Remote
Black	ELG203372	No	Remote
Black	ELG202972	Yes	Remote
Bamboo/ White	ELG204227	No	Remote
Bamboo/ White	ELG204231	Yes	Remote
Teak/ Black	ELG204228	No	Remote
Teak/ Black	ELG204232	Yes	Remote
Aged Elm/ Black	ELG204229	No	Remote
Aged Elm/ Black	ELG204233	Yes	Remote
SEACLIFF	1120MM / 4	44 INCH	
White	ELG20523401	No	Remote
White	ELG20523601	Yes	Remote
Black	ELG20523402	No	Remote
Black	ELG20523602	Yes	Remote
Gessami Oak/ White	ELG20523405	No	Remote
Gessami Oak/ White	ELG20523605	Yes	Remote
Light Walnut / Black	ELG20523406	No	Remote
Light Walnut / Black	ELG20523606	Yes	Remote
-			
SEACHEE	1320MM /	52 INCH	
SEACLIFF White	1320MM / 8		Pamata
White	ELG20523501	No	Remote
White White	ELG20523501 ELG20523701	No Yes	Remote
White White Black	ELG20523501 ELG20523701 ELG20523502	No Yes No	Remote Remote
White White Black Black	ELG20523501 ELG20523701 ELG20523502 ELG20523702	No Yes No Yes	Remote Remote Remote
White White Black Black Gessami Oak/ White	ELG20523501 ELG20523701 ELG20523502 ELG20523702 ELG20523505	No Yes No Yes	Remote Remote Remote Remote
White White Black Black Gessami Oak/ White Gessami Oak/ White	ELG20523501 ELG20523701 ELG20523502 ELG20523702 ELG20523505 ELG20523705	No Yes No Yes No Yes Yes	Remote Remote Remote Remote Remote
White White Black Black Gessami Oak/ White Gessami Oak/ White Light Walnut / Black	ELG20523501 ELG20523701 ELG20523502 ELG20523702 ELG20523505 ELG20523705 ELG20523506	No Yes No Yes No Yes No No Yes No	Remote Remote Remote Remote Remote Remote Remote
White White Black Black Gessami Oak/ White Gessami Oak/ White Light Walnut / Black Light Walnut / Black	ELG20523501 ELG20523701 ELG20523502 ELG20523702 ELG20523705 ELG20523705 ELG20523706	No Yes No Yes No Yes No Yes No Yes	Remote Remote Remote Remote Remote
White White Black Black Gessami Oak/ White Gessami Oak/ White Light Walnut / Black Light Walnut / Black STRADBROKE	ELG20523501 ELG20523701 ELG20523502 ELG20523702 ELG20523505 ELG20523705 ELG20523506 ELG20523706	No Yes No Yes No Yes No Yes No Yes No Yes	Remote Remote Remote Remote Remote Remote Remote Remote
White White Black Black Gessami Oak/ White Gessami Oak/ White Light Walnut / Black Light Walnut / Black STRADBROKE White	ELG20523501 ELG20523701 ELG20523502 ELG20523702 ELG20523705 ELG20523705 ELG20523706 1220MM / 4	No Yes No Yes No Yes No Yes No Yes No Yes	Remote Remote Remote Remote Remote Remote Remote Remote Remote
White White Black Black Gessami Oak/ White Gessami Oak/ White Light Walnut / Black Light Walnut / Black STRADBROKE White White	ELG20523501 ELG20523701 ELG20523502 ELG20523702 ELG20523705 ELG20523705 ELG20523706 1220MM / 4 ELG20491401 ELG20491601	No Yes No Yes No Yes No Yes No Yes No Yes	Remote
White White Black Black Gessami Oak/ White Gessami Oak/ White Light Walnut / Black Light Walnut / Black STRADBROKE White White Black	ELG20523501 ELG20523701 ELG20523702 ELG20523702 ELG20523705 ELG20523506 ELG20523706 1220MM / 4 ELG20491401 ELG20491401 ELG20491402	No Yes No Yes No Yes No Yes No Yes No Yes No No No	Remote
White White Black Black Gessami Oak/ White Gessami Oak/ White Light Walnut / Black Light Walnut / Black STRADBROKE White White Black Black	ELG20523501 ELG20523701 ELG20523502 ELG20523702 ELG20523705 ELG20523706 1220MM / 4 ELG20491401 ELG20491401 ELG20491402 ELG20491602	No Yes	Remote
White White Black Black Gessami Oak/ White Gessami Oak/ White Light Walnut / Black Light Walnut / Black STRADBROKE White White Black	ELG20523501 ELG20523701 ELG20523702 ELG20523702 ELG20523705 ELG20523506 ELG20523706 1220MM / 4 ELG20491401 ELG20491401 ELG20491402	No Yes No Yes No Yes No Yes No Yes No Yes No No No	Remote
























EGLO Continued			
Colour	Order Code with Brand Code	Light	Controller Type

STRADBROKE	1320MM / 52 INCH		
White	ELG20491501	No	Remote
White	ELG20491701	Yes	Remote
Black	ELG20491502	No	Remote
Black	ELG20491702	Yes	Remote
Titanium	ELG20491504	No	Remote
Titanium	ELG20491704	Yes	Remote

SURF	1220MM / 48 INCH		
White	ELG20549601	No	Remote
White	ELG20549701	Yes	Remote
Black	ELG20549602	No	Remote
Black	ELG20549702	Yes	Remote
Oak/White	ELG20549616	No	Remote
Oak/White	ELG20549716	Yes	Remote
Burmese Teak/Black	ELG20549617	No	Remote
Burmese Teak/Black	ELG20549717	Yes	Remote

SURF	1320MM / 52 INCH		
White	ELG20549801	No	Remote
White	ELG20549901	Yes	Remote
Black	ELG20549802	No	Remote
Black	ELG20549902	Yes	Remote
Oak/White	ELG20549816	No	Remote
Oak/White	ELG20549916	Yes	Remote
Burmese Teak/Black	ELG20549817	No	Remote
Burmese Teak/Black	ELG20549917	Yes	Remote

SURF	1520MM / 60 INCH		
White	ELG20550101	No	Remote
White	ELG20550201	Yes	Remote
Black	ELG20550102	No	Remote
Black	ELG20550201	Yes	Remote
Oak/White	ELG20550116	No	Remote
Oak/White	ELG20550216	Yes	Remote
Burmese Teak/Black	ELG20550117	No	Remote
Burmese Teak/Black	ELG20550217	Yes	Remote

TORQUAY	1070MM / 42 INCH		
White	ELG20522501	No	Remote
Black	ELG20522502	No	Remote
Oil Rubbed Bronze	ELG20522512	No	Remote
White	ELG20522601	Yes	Remote
Black	ELG20522602	Yes	Remote
Oil Rubbed Bronze	ELG20522612	Yes	Remote

EGLO Continued			
Colour	Order Code with Brand Code	Light	Controller Type

TORQUAY	1220MM / 48 INCH		
White	ELG20522701	No	Remote
Black	ELG20522702	No	Remote
Oil Rubbed Bronze	ELG20522712	No	Remote
White	ELG20522801	Yes	Remote
Black	ELG20522802	Yes	Remote
Oil Rubbed Bronze	ELG20522812	Yes	Remote

TORQUAY	1422MM /	56 INCH	1
White	ELG20522901	No	Remote
Black	ELG20522902	No	Remote
Oil Rubbed Bronze	ELG20522912	No	Remote
White	ELG20523101	Yes	Remote
Black	ELG20523102	Yes	Remote
Oil Rubbed Bronze	ELG20523112	Yes	Remote

TOURBILLION	1524MM /	60 INC	1
White	ELG203367	No	Remote
Black	ELG202964	No	Remote
Titanium	ELG204807	No	Remote

TOURBILLION	2032MM /	80 INCI	1
White	ELG203368	No	Remote
Black	ELG202966	No	Remote
Titanium	ELG204808	No	Remote

TOURBILLION	LIGHT KIT (Optio	nal Acce	essory)
White	ELG205564	_	_
Black	ELG205563	_	-
Titanium	ELG205565	_	_

	FANTECH		
Colour	Order Code with Brand Code	Light	Controller Type
		`	

White FANFLR36WH No Wall White FANFLR36WH-LED Yes Wall Black FANFLR36BK No Wall	FLAIR	900MM / 36 INCH				
	White	FANFLR36WH	No	Wall		
Black FANFLR36BK No Wall	White	FANFLR36WH-LED	Yes	Wall		
	Black	FANFLR36BK	No	Wall		
Black FANFLR36BK-LED Yes Wall	Black	FANFLR36BK-LED	Yes	Wall		

FLAIR	1270MM / 50 INCH			
White	FANFLR50WH	No	Wall	
White	FANFLR50WH-LED	Yes	Wall	
Black	FANFLR50BK	No	Wall	
Black	FANFLR50BK-LED	Yes	Wall	
























	FANTECH Con	tinued	
Colour	Order Code with Brand Code	Light	Controller Type
FLAIR	1470MM /	58 INCI	1
White	FANFLR58WH	No	Wall
White	FANFLR58WH-LED	Yes	Wall
Black	FANFLR58BK	No	Wall
Black	FANFLR58BK-LED	Yes	Wall
JULIET	1320MM /	52 INC	1
White	FANJLT52WH	No	Wall
QUINTON	1200MM /	48 INCI	4
White	FANQTN48WH	No	Wall
White	FANQTN48WH-LED	Yes	Wall
Black	FANQTN48BK	No	Wall
Black	FANQTN48BK-LED	Yes	Wall
FLAIR	1320MM /	′ 52 INCI	-1
White	FANQTN52WH	No	Wall
White	FANQTN52WH-LED	Yes	Wall
Black	FANQTN52BK	No	Wall
Black	FANQTN52BK-LED	Yes	Wall
SCUD	1200MM /	48 INCI	4
White	FANSCU48WH	No	Wall
White	FANSCU48WH-LT	Yes	Wall
Black	FANSCU48BK	No	Wall
Black	FANSCU48BK-LT	Yes	Wall
Clear Blades	FANSCU48CB	No	Wall
	HPM		
Colour	Order Code with Brand Code	Light	Controller Type
430 STAINLESS ST.	920MM /	36 INCH	I
StaInless	HPMCF9HBS	No	Wall
430 STAINLESS ST.	1220MM /	48 INCI	+
StaInless	HPMCF12HBS	No	Wall
430 STAINLESS ST.	920MM /	36 INCH	I
StaInless	HPMCF14HBS	No	Wall
ALUMIMIUM	3 BLADE 920A	MM / 36	INCH
White	HPMCF9HWE	No	Wall
ALUMIMIUM	3 BLADE 1220/	MM / 48	INCH
White	HPMCF12HWE	No	Wall
White	HPMCF12JWE	No	
ALUMIMIUM	3 BLADE 1420/	MM / 56	INCH
White	HPMCF14HWE	No	Wall
ALUMIMIUM	4 BLADE 1220	MM / 48	INCH
\A/I :1	LIDAACETOLLAVA/E	NI.	NAZ II







WADETONTO	A brand of D legrand	NTERN	ATIONAL
	HPM Continued	d	
Colour	Order Code with Brand Code	Light	Controller Type
ALUMIMIUM	4 BLADE 1420A	MM / 56	INCH
White	HPMCF14H4WE	No	Wall
INSPIRE	1220MM /	48 INCH	I
White	HPMRCF12H4WE	No	Wall
White	HPMRCFTRI12H4WE	Yes	Wall
Black	HPMRCF12H4BL	No	Wall
Black	HPMRCFTRI12H4BL	Yes	Wall
Silver	HPMRCFTRI 12H4BL	No	Wall
SERENE AC	1220MM /	48 INCH	
White	HPMCF12AC4BWE	No	Wall
White	HPMCF12AC4BLEDWE	Yes	Wall
SERENE AC	1320MM /	52 INCH	
White	HPMCF13AC4BWE	No	Wall
White	HPMCF13AC4BLEDWE	Yes	Wall
SERENE DC	1220MM /	48 INCH	l
White	HPMCF12DC4BWE	No	Remote
SERENE DC	1320MM /	52 INCH	
White	HPMCF13DC4BWE	No	Remote
	IN ITED DA CIEIA		
HU	JNTER PACIFIC		
Colour	Order Code with Brand Code	Light	Controller Type
AQUA IP66 V2	1320MM /	52 INCH	1
White	HPFAIP2661	No	Remote
White	HPFAIPL2667	Yes	Remote
Black	HPFAIP2662	No	Remote
Black	HPFAIPL2668	Yes	Remote
Black with Koa Blades	HPFAIP2663	No	Remote
Black with Koa Blades	HPFAIPL2669	Yes	Remote
AQUA IP66 V2	1780MM /	70 INCH	ı
White	HPFAIP2664	No	Remote
White	HPFAIPL2670	Yes	Remote
Black	HPFAIP2665	No	Remote
Black	HPFAIPL2671	Yes	Remote
Black with Koa Blades	HPFAIP2666	No	Remote
Black with Koa Blades	HPFAIPL2672	Yes	Remote
AQUA ACCESSORIES			
DC Wall Controller	HPFDCWC240	_	-
HPI Pixie Module	HPFPIXIEM098	-	-
Wi-Fi Module	HPFWIFIM099		
EVOLVE	1220MM /	48 INCH	1
White	HPFE360	No	Remote
Black	HPFE361	No	Remote
Black with Koa Blades	HPFE362	No	Remote





















No

Wall

HPMCF12H4WE

White







INTERNATIO	N A L				С	REATE • INS	
	НΙ	JNTE	R PACI	FIC			
Colour		Order C Brand C	ode with ode	Ligh	ıt	Controlle Type	
EVOLVE			1320MA	1 / 52 II	NCH	l	
White		HPFE36	3	No		Remote	
Black		HPFE36	4	No		Remote	
Black with Koa B	lades	HPFE36	5	No		Remote	
EVOLVE			1520MA	1 / 60 II	NCH	l	
White		HPFE366				Remote	
Black		HPFE367		No		Remote	
Black with Koa B	lades	HPFE36	8	No		Remote	
EVOLVE ACCESS	ORIE	S					
Accessory Light	Kit Wł	nite	HPFEL095			-	
Accessory Light	Kit Blo	Kit Black HPFEL096				-	
DC Wall Contro	ller	er HPFDCWC240		40		-	
HPI Pixie Modul	е		HPFPIXIEMO	98		-	
Wi-Fi Module			HPFWIFIMO9	99			
MAGNUM			2030MA	M / 80 II	NCH	ı	
White		•		N/A	9.5	peed Remot	
Black		HPFM80)1	N/A	9 8	peed Remot	
		MA	ARTEC				
Colour		er Code w d Code	vith	Ligh	nt	Controlle Type	
ALBATROSS			1800MM /	′ 72 INC	Н		
White	MARI	MARMAFMWR + MARMAF180W		No		Remote	
White	MARI	MARMAFML3WR + MARMAF180W		W Yes		Remote	
Matt Black	MARI	MARMAFMMR + MARMAF180M		No		Remote	
Matt Black	MARI	MARMAFML3MR + MARMAF180M		И Yes		Remote	
Brushed Nicket	MARI	MARMAFMBR + MARMAF180B		No		Remote	
Brushed Nicket	MARI	MAFML3BR	+ MARMAF180B	Yes		Remote	
ALBATROSS			2100MM /	' 84 INC	H		
White	MAR	MAFMWR +	MARMAF210W	No		Remote	
White	MARA	MAFML3WR	+ MARMAF210V	V Yes		Remote	
Matt Black	MARA	MAFMMR +	MARMAF210M	No		Remote	
Matt Black	MARA	MARMAFML3MR + MARMAF210M		Yes		Remote	
Brushed Nicket	MARMAFMBR + MARMAF210B		Nicket MARM		No		Remote
Brushed Nicket	MARMAFML3BR + MARMAF210B		Yes		Remote		
ALBATROSS MINI			1650MM	/ 65 IN	СН		
White	М	ARMAF168	3WR	No		Remote	
Matt Black	MARMAF168MR		No		Remote		
Brushed Nicket	М	ARMAF168	BBR	No		Remote	
AVOCA			1220MM	/ 48 IN	СН		
Matt White	М	ARMADC1	23WWR	No		٨॥	
Matt White	М	ARMADC1	233WWR	Yes		All with	
Matt Black	М	ARMADC1	23MMR	No		Remote	
Matt Black	М	ARMADC1	233MMR	Yes		plus	
						Smart	

IOVATE						
		MARTEC				
Colour		Order Code with Brand Code		Ligh	t	Controller Type
AVOCA		1320MA	1/5	2 IN	СН	
Matt White	N	MARMADC133WWR		No		A II
Matt White	N	MARMADC1333WWR		Yes		All with
Matt Black	N	MARMADC133MMR		No		Remote
Matt Black	N	MARMADC1333MMR		Yes		plus
Matt White/Oak	N	MARMADC 133WOR		No		Smart
Matt White/Oak	N	MARMADC1333WOR		Yes		Phone
LITE		1220MA	۸/4	8 IN	СН	
Matt White	N	MARMEDC123W		No		Remote
Matt White	N	MARMEDC1233W		Yes		Remote
Matt Black	N	MARMEDC 123M		No		Remote
Matt Black	N	MARMEDC1233M		Yes		Remote
/IPER		1320MA	1 / 5	2 IN	СН	
White SatInch	N	MARMVDC 133WSR		No		Remote
White SatInch	N	MARMVDC 1333WSR		Yes		Remote
Matt Black	N	MARMVDC133mmR		No		Remote
Matt Black	N	MARMVDC1333mmR		Yes		Remote
		MERCATO	R			
Colour		order Code with rand Code		Ligh	t	Controller Type
AIRBOND		800MM	/ 32	2 INC	СН	
Black	N	NECFF62230BK		No		Remote
Black	N	MECFF62330BK		No		Remote
AIRVENTURE		1331 MM	1 / 5	2 IN	СН	
White	N	NECFC580133WH		No		Wall
White	N	NECFC587133WH		Yes		Wall
Black	N	NECFC580133BK		No		Wall
Black	N	MECFC587133BK		Yes		Wall
ARENA		565MM	/ 23	INC	Н	
Black	FΜ	IECF83330BK	No		Pull (Cord
APTOR		1320MM	/ 52	INC	Н	
White	FC	970133WH	No		Remo	ote
White	FC	978133WH	Yes		Remo	ote
Black	FC	970133BK	No		Remo	ote
Black	FC	978133BK	Yes		Remo	ote
ROOME		750MM ,	/ 30	INC	Н	
Black	ME	ECFF101230BK	No		Body	Switch
Black	ME	ECFF103330BK	No		Body	· Switch
CAPRICE		1321 MM	/ 52	INC	Н	
White	ME	ECFC250134WH	No		Wall	
White	ME	ECFC252134WH	Yes		Wall	
Black	ME	ECFC250134BK	No		Wall	
Black	ME	ECFC252134BK	Yes		Wall	
Brushed Steel	ME	ECFC250134BS	No		Wall	
Brushed Steel	ME	ECFC252134BS	Yes		Wall	









Matt White/Oak

Matt White/Oak









MARMADC123WOR

MARMADC 1233WOR









Νo



 ${\sf Smart}$

Phone





	MERCATOR			
Colour	Order Code with Brand Code		Light	Controller Type
CASA	1320MM	/ 5	2 INCI	+
White	MECFC790133GWW	No	o Remote & Smar	
White	MECFC798133GWW	Yes	5	Remote & Smar
CENTURY	2540MM	/ 100 INCH		
White (Motor Only)	MECFC100253WH	No)	Remote & wall
Black (Motor Only)	MECFC100253BK	No)	Remote & wall
Black (Blades Only)	MECFL100253WH	No)	Remote & wall
Dark Timber (Blades Only)	MECFL100253RB	No)	Remote & wall
CLARE	1350MM	/ 5	4 INCI	1
White	MECFC660134WH	No		Wall
White	MECFC662134WH	Yes	5	Wall
Black	MECFC660134BK	No)	Wall
Black	MECFC662134BK	Yes	S	Wall
EAGLE II LITE	1220MM	/ 4	8 INCI	4
White	MECFC360123WH	MECFC360123WH No Remote		
White	MECFC368123WH	Yes	5	Remote
Black	MECFC368123BB	No		Remote
Black	MECFC360123BB	Yes	5	Remote
Rubbed Bronze	MECFC360123RB	No)	Remote
Rubbed Bronze	MECFC368123RB	Yes	5	Remote
GUARDIAN	1420MM / 56 INCH			
White	MECFC1110143WH	No)	Remote
Black	MECFC1110143BK	No)	Remote
INSTINCT	1320MM	/ 5	4 INCI	1
White	MECFC1100133WH	No		Remote
White	MECFC1108133WH	Yes	5	Remote
Black	MECFC1100133BB	No		Remote
Black	MECFC1108133BB	Yes	5	Remote
IVAN	1370MM	/ 1	6 INCH	1
White	MECFF92316WH	No		Remote
White	MECFF93316WH	No)	Pull Cord
MINOTA	1320MM	/ 5	2 INCI	4
White	MECFC620133GWH	No		Remote & Smar
White	MECFC628133GWH	Yes		Remote & Smar
Black	MECFC620133BK	No		Remote & Smar
Black	MECFC628133GBK	Yes		Remote & Smar
Brushed Chrome	MECFC620133GBC	No		Remote & Smar
Brushed Chrome	MECFC628133GBC	Yes	5	Remote & Smar
NEMOI	1321 MM	/ 5	2 INC	4
White	MECFC700134WH	No		Remote
White	MECFC708134WH	Yes		Remote
Black	MECFC700134BK	No		Remote
Black	MECFC708134BK	Yes		Remote

		THE AIR WOV	EIVIEIVI SFECIALISTS
MERCATOR			
Colour	Order Code with Brand Code	Light	Controller Type
NEMOILITE	EMOILITE 1216MM / 48 INCH		
White	MECFC700124WH	No	Remote
White	MECFC708124WH	Yes	Remote
Black	MECFC700124BK	No	Remote
Black	MECFC708124BK	Yes	Remote
RIDER	RIDER 400MM / 16 INCH		
White	MECFF52316WH	No	Remote

		,	• •
White	MECFF52316WH	No	Remote
			·
	VENTAIR		
Colour	Order Code with Brand Code	Light	Controller Type
DC3	1200MM	/ 48 INC	СН
White	VNTDC31203WH	No	Remote
White	VNTDC31203WH-L	Yes	Remote
White	VNTDC31203WHWC	No	Wall Control
White	VNTDC31203WH-LWC	Yes	Wall Control
HARMONY II	1220MM	/ 50 INC	СН
White	VNTHAR 1204WH	No	Wall Control
White	VNTHAR 1204WH-L	Yes	Wall Control
Black	VNTHAR 1204BL	No	Wall Control
Black	VNTHAR 1204BL-L	Yes	Wall Control
SKYFAN 3	FAN 3 900MM / 36 INCH		Н
White	VNTSKY903WH	No	Remote
White	VNTSKY903WH-L	Yes	Remote
Black	VNTSKY903BL	No	Remote
Black	VNTSKY903BL-L	Yes	Remote
SKYFAN 3	1200MM	/ 48 INC	СН
White	VNTSKY1203WH	No	Remote
White	VNTSKY1203WH-L	Yes	Remote
Black	VNTSKY1203BL	No	Remote
Black	VNTSKY1203BL-L	Yes	Remote
SKYFAN 3	1300MM	/ 52 INC	СН
White	VNTSKY1303WH	No	Remote
White	VNTSKY1303WH-L	Yes	Remote
Black	VNTSKY130BL	No	Remote
Black	VNTSKY1303BL-L	Yes	Remote
SKYFAN 3	1500MM	/ 60 INC	СН
White	VNTSKY1503WH	No	Remote
White	VNTSKY1503WH-L	Yes	Remote
Black	VNTSKY1503BL	No	Remote
Black	VNTSKY1503BL-L	Yes	Remote



























REATE • INSPIRE • IN	NNOVATE THE AIR MOVEMENT	SPECIALISTS	
VENTAIR			
Colour	Order Code with Brand Code	Light	Controller Type
SKYFAN 4	1200MM	1 / 48 IN	СН
White	VENTSKY 1204WH	No	Remote
White	VENTSKY 1204WH-L	Yes	Remote
Black	VENTSKY 1204BL	No	Remote
Black	VENTSKY 1204BL-L	Yes	Remote
SKYFAN 4	400MM	/ 56 INC	CH
White	VENTSKY 1404WH	No	Remote
White	VENTSKY1404WH-L	Yes	Remote
Black	VENTSKY1404BL	No	Remote
Black	VENTSKY1404BL-L	Yes	Remote
SPINIKA II	1220MM	1 / 48 IN	СН
White	VENTSP1204WH	No	Wall Control
White	VENTSP1204WH-L	Yes	Wall Control
Black	VENTSP1204BL	No	Wall Control
Black	VENTSP1204BL-L	Yes	Wall Control
CDIVIINVII	1200444	1300MM / 52 INCH	
SPINIKA II		1	
White	VENTSP1304WH	No	Remote
White	VENTSP1304WH-L	Yes	Remote
Black	VENTSP1304BL	No	Remote
Black	VENTSP1304BL-L	Yes	Remote
SPYDA	900MM	/ 36 INC	CH
White	VENTSPY903NWH	No	Wall Control
White	VENTSPY903WH-L	Yes	Wall Control
Black	VENTSPY903NBL	No	Wall Control
Black	VENTSPY903BL-L	Yes	Wall Control
SPYDA	1250MM	1 / 50 IN	СН
White	VENTSPY 1253NWH	No	Wall Control
White	VENTSPY 1253WH-L	Yes	Wall Control
Black	VENTSPY 1253BL	No	Wall Control
Black	VENTSPY 1253 NBL-L	Yes	Wall Control
Titanium	VENTSPY 1253TI	No	Wall Control
Titanium	VENTSPY 1253 NTI-L	Yes	Wall Control
Teak	VENTSPY 1253TK	No	Wall Control
Teak			
	VENTSPY 1253 NTK-L	Yes	Wall Control
Walnut	VENTSPY1253NTK-L VENTSPY1253WN	Yes No	Wall Control
Walnut Walnut			
	VENTSPY1253WN VENTSPY1253NWN-L	No	Wall Control
Walnut	VENTSPY1253WN VENTSPY1253NWN-L	No Yes	Wall Control
Walnut SPYDA	VENTSPY1253WN VENTSPY1253NWN-L 1400MM	No Yes 1 / 56 INC	Wall Control Wall Control
Walnut SPYDA White	VENTSPY 1253WN VENTSPY 1253NWN-L 1400MN VENTSPY 1423NWH	No Yes 1 / 56 INC	Wall Control Wall Control CH Wall Control
Walnut SPYDA White White	VENTSPY1253WN VENTSPY1253NWN-L 1400MM VENTSPY1423NWH VENTSPY1423NWH-L	No Yes No No Yes	Wall Control Wall Control Wall Control Wall Control
Walnut SPYDA White White Black	VENTSPY 1253WN VENTSPY 1253NWN-L 1400MN VENTSPY 1423NWH VENTSPY 1423NWH-L VENTSPY 1423NBL	No Yes No Yes No No No No	Wall Control Wall Control Wall Control Wall Control Wall Control
Walnut SPYDA White White Black Black	VENTSPY1253WN VENTSPY1253NWN-L 1400MM VENTSPY1423NWH VENTSPY1423NWH-L VENTSPY1423NBL VENTSPY1423NBL-L	No Yes No Yes No Yes No Yes	Wall Control Wall Control Wall Control Wall Control Wall Control Wall Control Wall Control

VENTAIR			
	Order Code with		Controller
Colour	Brand Code	Light	Туре
SPYDA	1400MM	/ 56 INC	Н
Walnut	VNTSPY1423NWN	No	Wall Control
Walnut	VNTSPY1423NWN-L	Yes	Wall Control
SPYDA	1570MM	/ 62 IN	СН
White	VNTSPY1573NWH	No	Wall Control
White	VNTSPY1573NWH-L	Yes	Wall Control
Black	VNTSPY1573NBL	No	Wall Control
Black	VNTSPY1573NBL-L	Yes	Wall Control
Titanium	VNTSPY1573NTI	No	Wall Control
Titanium	VNTSPY1573NTI-L	Yes	Wall Control
Teak	VNTSPY1573NTK	No	Wall Control
Teak	VNTSPY1573NTK-L	Yes	Wall Control
Walnut	VNTSPY1573NWN	No	Wall Control
Walnut	VNTSPY1573NWN-L	Yes	Wall Control
SPYDA EC	1250MM	/ 50 INC	CH
White	VNTSPYEC1253WH	No	Remote
White	VNTSPYEC1253WH-L	Yes	Remote
Black	VNTSPYEC 1253BL	No	Remote
Black	VNTSPYEC 1253BL-L	Yes	Remote
SPYDA EC	1400MM	/ 56 INC	СН
White	VNTSPYEC1423WH	No	Remote
White	VNTSPYEC1423WH-L	Yes	Remote
Black	VNTSPYEC 1423BL	No	Remote
Black	VNTSPYEC1423BL-L	Yes	Remote
STANZA	900MM	/ 36 INC	Н
White	VNTSTA903WH	No	Wall Control
White	VNTSTA903WH-L	Yes	Wall Control
Black	VNTSTA903BL	No	Wall Control
Black	VNTSTA903BL-L	Yes	Wall Control
STANZA	1200MM	/ 48 INC	СН
White	VNTSTA 1203WH	No	Wall Control
White	VNTSTA1203WH-L	Yes	Wall Control
Black	VNTSTA 1203BL	No	Wall Control
Black	VNTSTA 1203BL-L	Yes	Wall Control
STANZA	1400MM	/ 56 INC	CH
White	VNTSTA 1403WH	No	Wall Control
White	VNTSTA1403WH-L	Yes	Wall Control
Black	VNTSTA1403BL	No	Wall Control
Black	VNTSTA1403BL-L	Yes	Wall Control
WALL DC	450MM /	′ 17.7 ING	СН
Black	VNTWAL45-DC	No	Remote
WALL DC	750MM /	20 5 IN/	TH .
	•		_
Black	VNTWAL75-DC	No	Remote























BRANCH LISTING







	AC [*]	T & NEW SOUTH WALES	
	ALEXANDRIA	Unit E2/46-62 Maddox Street	02 9698 9499
	ARTARMON	77 Rexelerve Road	02 9439 3077
	BANKSTOWN	2/139 Canterbury Road	02 9707 3555
	BELCONNEN	Unit 3-5, 8 Luxton St	02 6241 4777
	BLACKTOWN	10 Forge Street	02 9671 5722
	BROOKVALE	2/44 Wattle Road	02 9905 0569
	CAMPBELLTOWN	4/2 Grange Road	02 4627 1860
	CARINGBAH	42 Parraweena Road	02 9526 1422
	CASTLE HILL	Unit 2/4 Victoria Avenue	02 9899 4677
	ERINA	18 Barralong Road	02 4367 7966
♀	FYSHWICK	5D Barrier Street	02 6280 8111
2	GLADESVILLE	427-433 Victoria Road	02 9879 0099
1	GLENDENNING	138 Glendenning Rd	02 8886 4400
02	HOXTON PARK	Unit 10/380 Hoxton Park Road	02 8795 7600
Z	KINGSFORD	297 Anzac Parade	02 9662 3977
품	LEICHHARDT	683 Parramatta Road	02 9550 0422
3	PARRAMATTA	Unit 6/2 Windsor Road	02 9890 2933
H	PEAKHURST	83 - 85 Boundary Road	02 9533 5677
3	PENRITH	Unit 1/120 Batt Street	02 4732 3344
	ROCKDALE	385 West Botany Street	02 9599 5078
	SILVERWATER	87 Silverwater Road	02 9648 5777
	SYDNEY CITY	68-72 Wenworth Avenue	02 9211 3266
	THORNLEIGH	Cnr Larool CRexel & Sefton Road	02 9481 8377
	VILLAWOOD	Units 4-5, Lot 2 Fairfield Street	02 9892 4899
	WARNERVALE	Unit 6/132 Chelmsford Rd	02 4392 2755
	WETHERILL PARK	6/121-125 Newton Road	02 8795 7000
	WOLLONGONG	50-52 Kenny Street	02 4239 6800
	WOY WOY	2/171-175 Blackwall Road	02 4344 5688
	WYONG	164 Pacific Highway	02 4353 1844
-	CESSNOCK	27 Cessnock Street	02 4991 1451
Ė	GUNNEDAH	1/64 Barber Street	02 6742 5600
Σ	LAMBTON	28 Verulam Road	02 4952 5855
S	PORT MACQUARIE	209 Lake Rd	02 6581 1505
49	RAYMOND TERRACE	Cnr Adelaide & Bourke Street	02 4983 3700
A	SINGLETON	252 John Street	02 6572 4133
"	TAREE	7 Grey Gum Road	02 6552 3900
	TAYLORS BEACH	1/5 Shearwater Drive	02 4981 9456
-	ALEXANDRIA	196 Bourke Road	02 9578 9000
111	DATIMIDAT	110 Russell Street	02 6332 1848
×	BATHURST		
REX	DUBBO	3/30 Cobbora Road	02 6882 5766

		VICTORIA	
	ALBURY	1/659 Young St	02 6021 2544
	BENDIGO	36 Abel Street	03 5446 6300
	BROOKLYN	3/720 Geelong Road	03 9318 9050
	DANDENONG	45 Greens Road	03 8752 8700
	FAIRFIELD	330B Darebin Road	03 9497 3344
	KEILOR PARK	Unit 9, 33 Keilor Park Drive	03 9331 6222
ᇳ	KILSYTH	Unit 5/161 Canterbury Road	03 8756 2100
×	KNOXFIELD	90 Rushdale Street	03 9753 3888
2	MOORABBIN	243 Wickham Road	03 9556 6000
	NORTH GEELONG	243-245 Thompson Road	03 5277 2888
	NUNAWADING	U1/16-22 Rooks Rd	03 9873 8844
	RICHMOND	63 Murphy Street	03 9427 3600
	SHEPPARTON	49 Vaughan Street	03 5821 5022
	THOMASTOWN	1/161 Settlement Road	03 9465 5411
	WARRAGUL	5 June Court	03 5623 1500

		WESTERN AUSTRALIA	
	ALBANY	64 Sanford Road	08 6820 2300
	BUNBURY	41-45 Albert Road	08 9721 3488
	GERALDTON	80A FloRexel Road	08 9965 2444
	KALGOORLIE	186 Boulder Road	08 9021 5800
W	MALAGA	1A, 365 Victoria Rd	08 9241 7800
<u> </u>	MYAREE	Unit 4A, 248 Leach Hwy	08 9330 8859
-	OSBORNE PARK	1/34 Hector Street	08 9241 5555
	PORT HEDLAND	1/25 Manganese Street	08 9172 7900
	WANGARA	63 Buckingham Drive	08 9309 4844
	WELSHPOOL	75 Division Street	08 6350 2300

		QUEENSLAND	
	ASPLEY	605 Zillmere Road	07 3263 0700
	BIGGERA WATERS	2 Treasure Island Drive	07 5562 8600
	BOKARINA	390 Nicklin Way	07 5436 4000
	BUNDABERG	13 Toonburra Street	07 4131 9200
	BURLEIGH	70 Kortum Drive	07 5520 9222
	CAIRNS	136 Aumuller Street	07 4051 4044
	CAPALABA	Unit 1/160 Redland Bay Road	07 3390 3866
	CURRUMBIN	43 Currumbin Creek Road	07 5587 1600
A	EAST BRISBANE	169 Wellington Road	07 3634 1600
<u>0</u>	ENOGGERA	29 Pickering Street	07 3355 4499
2	GYMPIE	Cnr Brisbane Rd & Araluen Tce	07 5480 6500
Ö	IPSWICH	Cnr Pine & Lowry Street	07 3812 3744
	MAROOCHYDORE	Headland Buss Park, 72 Wises Rd	07 5443 8749
	MILTON	Cnr Castlemaine & Black Sts	07 3510 5600
	MORAYFIELD	Unit 1/18 Walkers Road	07 5428 7933
<u>_</u>	NORTH LAKES	Unit 10/20 Burke Crescent	07 3882 8800
	OXENFORD	149 Old Pacific Hwy	07 5656 2800
	SALISBURY	Unit 6/121 Evans Road	07 3373 6300
	SLACKS CREEK	81 Moss Street	07 3386 4700
	SURFERS PARADISE	43-45 Upton Street	07 5584 7900
	TOWNSVILLE	201-207 Dalrymple Road	07 4412 2400
	TWEED HEADS	Unit 2 - 1 Rivendell Drive	07 5523 9921
	UPPER MT GRAVATT	256 Newnham Road	07 3347 0600
	WYNNUM	1/11 Industry Place	07 3893 0344
	COOPERS PLAINS	854 Boundary Road	07 3274 1334
_	ENOGGERA	Unit B/48-56 Pickering Street	07 3355 4888
2	GEEBUNG	132 Robinson Road East	07 3265 5266
	MAYNE (Bowen Hills)	30 Edmondstone Road	07 3252 1288
	STRATHPINE	2/128 South Pine Road	07 3728 3190
	CALOUNDRA	1 Baldwin Street	07 5491 3666
	DARRA	2692 Ipswich Road	07 3376 8115
	MACKAY	Unit 4, 185-195 Maggiolo Dr	07 4898 6900
	MAROOCHYDORE	Unit 1-10 Glen Kyle Drive	07 5443 9500
	NAMBOUR	8 Court Road	07 5441 3822
	NERANG	86 Spencer Road	07 5596 1205
X	ROCKHAMPTON	66 Hollingsworth St	07 4927 4955
22	ROMA	91 Quintin Street	07 4622 1459
	TINGALPA	Unit 3, 9 Graystone St	07 3908 1000
	тооwоомва	188 James Street	07 4638 2088
	TOWNSVILLE	30 Mackley Street	07 4779 6955
	WARWICK	14 Albion Street	07 4661 7138
	YATALA	Unit 4/20, Old Pacific Highway	07 3827 7600

		SOUTH AUSTRALIA	
	ADELAIDE	204 Sturt Street	08 8202 1800
	BERRI	6B Werner Lane	08 8582 1377
	EDWARDSTOWN	13-15 Woodlands Terrace	08 8276 5755
	HINDMARSH	95 South Road	08 8340 1833
	LONSDALE	77 O'Sullivan Beach Road	08 8326 3400
-	MILDURA	37 Seventh Street	03 5022 1899
×	MT BARKER	20 Mt Barker Road	08 8391 6904
œ	MT GAMBIER	4 Bertha Street	08 8723 2333
	PORT PIRIE	81 Esmond Road	08 8632 3973
	ROXBY DOWNS	Lot 718 Olympic Way	08 8671 2644
	SALISBURY PLAIN	166-170 Park Terace	08 8281 1117
	WINDSOR GARDENS	496 North East Road	08 8369 0255
	WINGFIELD	Unit 1, 209 Cormack Rd	08 8240 1499

	WINNELLIE (Darwin)	Buliding 1, The Gulf Centre, 116-120 Coonawarra Road	08 8930 6200
	_	TASMANIA	_
	BURNIE SOUTH	12 Wellington Street	03 6431 3788
긆	DERWENT PARK	221 Main Road	03 6227 4200
×	DEVONPORT	14 Wenvoe Street	03 6424 4433
2	LAUNCESTON	85 Bathurst Street	03 6343 5433
	NORTH HOBART	33 Federal Street	03 6234 2377

NORTHERN TERRITORY





































