



APC Replacement Battery Cartridge, VRLA, 9Ah, 48V DC, 2year warranty

APCRBCV209

Overview

Lead time Usually in Stock

Main

Product or component type	Replacement battery cartridge	
Main Output Voltage	48 V DC	
Number of rack unit	0U	
Battery type	VRLA	
Range of product	Replacement Battery Cartridges	

Batteries & Runtime

Battery location	Internal battery
Number of battery blocks per string	4
Number of battery free slots	0
Number of battery filled slots	0
Battery voltage	48 V
Number of battery replacement quantity	1

Physical

Height	130 mm	
Width	151 mm	
Depth	209 mm	
Net weight	10.1 kg	
Mounting mode	Not rack-mountable	
USB compatible	No	

Output

Battery capacity 9 Ah

Conformance

Product certifications CB

Environmental

Ambient air temperature for operation	040 °C
Operating altitude	03000 m
Relative humidity	095 % non-condensing
Ambient air temperature for storage	-1540 °C
Storage altitude	03000 m
Storage Relative Humidity	1095 % non-condensing

Packing Units

_	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	22.2 cm
Package 1 Width	22.8 cm
Package 1 Length	28.6 cm
Package 1 Weight	11.5 kg
Unit Type of Package 2	P06
Number of Units in Package 2	12
Package 2 Height	57.5 cm
Package 2 Width	60 cm
Package 2 Length	80 cm
Package 2 Weight	146.5 kg

Contractual warranty

Warranty 2 Years



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No